



EUROPEAN
COMMISSION

Brussels, XXX
[...] (2014) XXX draft

ANNEX 22 – PART 1/4

ANNEX

to the

COMMISSION DELEGATED REGULATION (EU) No .../..

**supplementing Directive 2009/138/EC of the European Parliament and of the Council on
the taking-up and pursuit of the business of Insurance and Reinsurance (Solvency II)**

ANNEX XXII

CORRELATION COEFFICIENTS FOR WINDSTORM RISK

The correlation parameter $\text{Corr}_{(\text{windstorm}, r, i, j)}$ referred to in Article 121(5) for region r shall be equal to the item set out in row i and in column j of the following correlation matrices. The headings of the rows and columns denote the region specific risk zones according to the numbers of the segments set out in Annex IX.

Correlation coefficients for regions with only one risk zone

The correlation coefficients for the regions Grand Duchy of Luxembourg, Guadeloupe, Martinique, St Martin and Réunion shall be equal to 1.

Correlation coefficients for windstorm risk in the Republic of Austria

$j \backslash i$	10	11	12	13	20	21	22	23	24	25	26	27	28	30	31	32	33	34	35	36	37	38	39	40	41
10	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50
11	0.75	1.00	1.00	0.75	0.75	0.75	0.75	1.00	0.75	1.00	1.00	1.00	0.75	1.00	1.00	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75
12	1.00	1.00	1.00	1.00	0.75	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
13	0.75	0.75	1.00	1.00	0.75	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.50	0.75	0.50	0.50
20	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	1.00	0.75	0.75	0.75	0.75
21	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.50
22	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50
23	0.75	1.00	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00	1.00	0.75	0.75	1.00	1.00	0.75	0.75	1.00	0.75	0.75	1.00	0.75	0.75	0.75	0.75
24	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
25	0.75	1.00	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	0.75	1.00	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75
26	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
27	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
28	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	0.75	0.50	0.50	0.75	0.75	0.50	0.75	0.50	0.75	0.75	0.50
30	0.75	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75
31	0.75	1.00	1.00	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75
32	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75

33	0.75	0.75	0.75	0.50	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	1.00	1.00	0.75	0.75	1.00	0.75	0.75	0.75	1.00	0.75
34	0.75	1.00	0.75	0.75	1.00	1.00	0.75	1.00	0.75	1.00	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75
35	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00	0.75	1.00	0.75	0.75
36	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	0.75	0.75
37	0.75	0.75	0.75	0.75	1.00	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00	0.75	1.00	0.75	0.75
38	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75
39	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00
40	0.50	0.75	0.75	0.50	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00
41	0.50	0.75	0.75	0.50	0.75	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00

$\begin{smallmatrix} j \\ i \end{smallmatrix}$	10	11	12	13	20	21	22	23	24	25	26	27	28	30	31	32	33	34	35	36	37	38	39	40	41
42	0.50	0.75	0.75	0.50	0.75	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00
43	0.50	0.75	0.75	0.50	0.75	0.75	0.50	0.75	0.50	0.75	0.50	0.50	0.50	0.75	0.75	0.75	1.00	0.75	0.75	1.00	0.75	0.75	1.00	0.75	1.00
44	0.50	0.50	0.75	0.50	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75
45	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	1.00	1.00
46	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00
47	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.75	0.75	1.00
48	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75
49	0.50	0.50	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.75	0.75	0.75	0.50	0.50	0.75	0.50	0.50	0.75	0.75	1.00
50	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50
51	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75
52	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75
53	0.50	0.25	0.25	0.25	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.75	0.75
54	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50
55	0.25	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50
56	0.25	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.50
57	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50
60	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
61	0.25	0.25	0.25	0.00	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50
62	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25
63	0.25	0.25	0.25	0.00	0.00	0.25	0.00	0.25	0.25	0.25	0.00	0.00	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.50	0.50
64	0.25	0.25	0.25	0.00	0.00	0.00	0.00	0.25	0.00	0.25	0.00	0.00	0.00	0.00	0.25	0.25	0.25	0.00	0.00	0.25	0.00	0.00	0.25	0.25	0.25
65	0.00	0.00	0.25	0.00	0.00	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00	0.00	0.25	0.25	0.25
66	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25
67	0.00	0.25	0.25	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
68	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.00	0.00	0.25	0.25	0.00	0.25

$\frac{j}{i}$	10	11	12	13	20	21	22	23	24	25	26	27	28	30	31	32	33	34	35	36	37	38	39	40	41
69	0.00	0.25	0.00	0.00	0.00	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.25
70	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.50	0.50	0.75	0.75	0.50	0.75	0.50	0.75	0.50	0.50
71	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.50	0.75	0.50	0.50
72	0.50	0.75	0.50	0.75	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.25	0.75	0.75	0.75	0.75	0.50	0.75	0.50	0.50
73	0.50	0.75	0.50	0.75	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.25	0.75	0.50	0.50	0.50	0.50	0.75	0.50	0.50
74	0.50	0.50	0.50	0.75	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50
75	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.50	0.25	0.50	0.25	0.25
80	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.50	0.50	0.75	0.50	0.75	0.50	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.25
81	0.50	0.50	0.50	0.75	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.75	0.50	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50
82	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50
83	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
84	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
85	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
86	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50
87	0.25	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50
88	0.25	0.25	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.25	0.25	0.50	0.25	0.50	0.50	0.50
89	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50
90	0.25	0.25	0.25	0.00	0.25	0.00	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25
91	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
92	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.00	0.00	0.00	0.00	0.25	0.25	0.25
93	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
94	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25
95	0.25	0.25	0.25	0.25	0.00	0.00	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25
96	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25
97	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25

98	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25
99	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.50	0.25	0.25	0.50	0.50	0.50	0.50

j \ i	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	60	61	62	63	64	65	66	67	68
10	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.00	0.25
11	0.75	0.75	0.50	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25
12	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
13	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.75	0.25	0.25	0.50	0.25	0.25	0.50	0.25	0.25	0.00	0.00	0.25	0.00	0.00	0.00	0.25	0.00	0.00
20	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.25	0.25	0.50	0.25	0.25	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.25
21	0.50	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.00	0.25
22	0.50	0.50	0.75	0.50	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.00	0.00	0.25	0.25	0.00	0.25
23	0.50	0.75	0.75	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25
24	0.75	0.50	0.75	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.00	0.50	0.25	0.25	0.25
25	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25
26	0.75	0.50	0.75	0.75	0.75	0.50	0.50	0.75	0.25	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.00	0.00	0.25	0.25	0.00	0.25
27	0.75	0.50	0.75	0.75	0.75	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.00	0.00	0.25	0.25	0.00	0.25
28	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.00	0.25	0.00	0.00	0.25	0.25	0.00	0.25
30	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.75	0.25	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.00	0.25
31	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25
32	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25
33	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.75	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00
34	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.25	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.00	0.25
35	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.25	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.00	0.25
36	0.75	1.00	0.75	0.75	0.75	0.50	0.50	0.75	0.25	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.00	0.00
37	0.75	0.75	0.75	0.50	0.75	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.00	0.00	0.00	0.00	0.00	0.00
38	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00	0.25	0.00	0.25
39	1.00	1.00	0.75	0.75	0.75	0.75	0.50	0.75	0.25	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25

40	1.00	0.75	1.00	1.00	1.00	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.25	0.25	0.25	0.00	0.00
41	1.00	1.00	0.75	1.00	1.00	1.00	0.75	1.00	0.50	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.25	0.25	0.00	0.25

j \ i	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	60	61	62	63	64	65	66	67	68
42	1.00	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.50	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.00	0.25
43	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25
44	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.50	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.25	0.25	0.00	0.25
45	0.75	0.75	1.00	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.00	0.25
46	1.00	0.75	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25
47	0.75	0.75	0.75	0.75	1.00	1.00	0.75	1.00	0.50	0.75	1.00	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25
48	0.75	0.75	0.75	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25
49	0.75	0.75	0.75	0.75	1.00	1.00	0.75	1.00	0.75	1.00	1.00	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.25
50	0.50	0.50	0.50	0.75	0.75	0.50	0.75	0.75	1.00	1.00	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50
51	0.75	0.50	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50
52	0.75	0.50	0.75	0.75	0.75	1.00	0.75	1.00	0.75	1.00	1.00	0.75	0.75	0.75	0.50	0.75	0.75	0.50	0.75	0.75	0.50	0.50	0.50	0.25	0.25
53	0.50	0.50	0.75	0.75	0.75	0.75	1.00	0.75	1.00	1.00	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.50	0.50	0.50	0.25	0.25
54	0.50	0.50	0.50	0.75	0.75	0.50	0.75	0.50	1.00	0.75	0.75	1.00	1.00	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.50	0.50	0.25	0.25	0.25
55	0.50	0.50	0.75	0.75	0.75	0.50	0.75	0.50	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.00
56	0.50	0.50	0.50	0.75	0.75	0.50	0.75	0.50	0.75	0.75	0.50	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.50	0.50	0.50	0.50	0.25	0.25	0.00
57	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.50	0.50	0.25	0.25
60	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	1.00	1.00	1.00	0.75	1.00	0.75	0.75	0.50	0.50
61	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.50	0.50	0.75	0.50	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.50	0.50	0.50
62	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.50	0.50	0.50
63	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.75	0.75	0.75	1.00	1.00	0.75	0.50	0.50	0.25	0.50
64	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	1.00	0.75	0.75	0.75	1.00	1.00	0.75	0.50	0.75
65	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.50	1.00	1.00	0.75	0.75	0.75

66	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.50	0.75	0.50	0.50	0.50	0.75	0.75	1.00	0.75	0.75
67	0.00	0.00	0.00	0.00	0.25	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.25	0.50	0.75	0.75	1.00	0.75
68	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.00	0.00	0.25	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	1.00

j \ i	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	60	61	62	63	64	65	66	67	68
69	0.00	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.25	0.50	0.75	0.75	0.75	1.00
70	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.50	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.00	0.00	0.25	0.25	0.00	0.25
71	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.00	0.25	0.25	0.50	0.25	0.25	0.50	0.25	0.00	0.00	0.25	0.00	0.00	0.25	0.25	0.00	0.25
72	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00
73	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.00	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
74	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.25	0.00	0.00	0.25	0.00	0.00	0.25	0.25	0.00	0.00
75	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00
80	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.00	0.00	0.00	0.25
81	0.25	0.25	0.50	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00
82	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00
83	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.25	0.25	0.00	0.25	0.00	0.00	0.00	0.25	0.25	0.00	0.00
84	0.25	0.25	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.00	0.00
85	0.25	0.25	0.25	0.50	0.25	0.25	0.50	0.25	0.25	0.50	0.25	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00
86	0.50	0.50	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00
87	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.00
88	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00
89	0.50	0.50	0.50	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.00
90	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.00
91	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00
92	0.25	0.00	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.75	0.50	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.00	0.00	0.00
93	0.25	0.25	0.25	0.50	0.25	0.25	0.50	0.25	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00

94	0.25	0.25	0.25	0.50	0.25	0.25	0.50	0.50	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00
95	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.00	0.25
96	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.50	0.50	0.75	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00
97	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.25	0.25	0.50	0.50	0.75	0.75	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.00
98	0.25	0.25	0.25	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00
99	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.75	0.75	0.50	0.75	0.75	1.00	1.00	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25

i \ j	69	70	71	72	73	74	75	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
10	0.00	0.75	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
11	0.25	0.75	0.75	0.75	0.75	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.25	0.75	0.50	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
12	0.00	0.75	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
13	0.00	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.75	0.50	0.50	0.25	0.25	0.50	0.25	0.50	0.50	0.00	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25
20	0.00	0.75	0.75	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.25	0.50	0.25	0.25	0.00	0.25	0.25	0.00	0.00	0.25	0.25	0.25
21	0.25	0.75	0.75	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.25	0.50	0.50	0.00	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25
22	0.25	0.75	0.75	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.50	0.50	0.00	0.25	0.25	0.25	0.50	0.00	0.25	0.25	0.25	0.50
23	0.00	0.75	0.75	0.75	0.75	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
24	0.25	0.75	1.00	0.75	0.75	0.75	0.50	0.50	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.50
25	0.25	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.75	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.50
26	0.25	1.00	1.00	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.25	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50
27	0.25	1.00	1.00	0.75	0.75	0.75	0.50	0.50	0.50	0.75	0.50	0.50	0.25	0.75	0.50	0.50	0.75	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50
28	0.25	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.50	0.50	0.50	0.50	0.75	0.25	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50
30	0.00	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.50	0.50
31	0.00	0.75	0.75	0.75	0.50	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.25	0.50	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.50
32	0.00	0.50	0.75	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
33	0.00	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
34	0.00	0.75	0.75	0.75	0.75	0.50	0.50	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.50

35	0.00	0.75	0.75	0.75	0.50	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.25	0.50	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25
36	0.00	0.50	0.75	0.75	0.50	0.50	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.25	0.50	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.50
37	0.00	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.25	0.25	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25
38	0.00	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.25	0.50	0.00	0.25	0.00	0.25	0.25	0.00	0.00	0.25	0.25	0.25
39	0.00	0.75	0.75	0.75	0.75	0.50	0.50	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
40	0.25	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50
41	0.25	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50

$\begin{matrix} j \backslash i \\ \end{matrix}$	69	70	71	72	73	74	75	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
42	0.00	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
43	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.25	0.50	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.50
44	0.00	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.25	0.50	0.25	0.75	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
45	0.25	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50
46	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.50	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50
47	0.25	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
48	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.50	0.50	0.25	0.25	0.50	0.50	0.50	0.50	0.75	0.25	0.25	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.75
49	0.25	0.50	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.75	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.50
50	0.25	0.25	0.00	0.25	0.00	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.75	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.75
51	0.25	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.75
52	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.75	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.50	0.50
53	0.25	0.50	0.50	0.25	0.25	0.50	0.25	0.25	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.25	0.25	0.25	0.50	0.25	0.25	0.50	0.50	0.50	0.75
54	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.50	0.50	0.75	0.25	0.25	0.25	0.50	0.25	0.25	0.50	0.50	0.50	0.75
55	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	1.00	0.50	0.50	0.75	0.50	0.50	0.50	0.75	0.75	0.75	1.00
56	0.25	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.75	0.75	0.25	0.25	0.50	0.50	0.50	0.25	0.50	0.75	0.75	1.00
57	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.75	0.25	0.25	0.25	0.50	0.25	0.25	0.50	0.50	0.50	0.75
60	0.50	0.25	0.00	0.00	0.00	0.00	0.00	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50

61	0.50	0.25	0.00	0.00	0.00	0.00	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
62	0.50	0.25	0.25	0.25	0.00	0.25	0.25	0.00	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
63	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50
64	0.50	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.25	0.25	0.00	0.00	0.25	0.25	0.25	0.25	0.50	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.50
65	0.75	0.25	0.25	0.00	0.00	0.25	0.00	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.00	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.50
66	0.75	0.25	0.25	0.00	0.00	0.25	0.00	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.50
67	0.75	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.25	0.25	0.00	0.25	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.25	0.25
68	1.00	0.25	0.25	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25	0.00	0.00	0.00	0.25

$j \setminus i$	69	70	71	72	73	74	75	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
69	1.00	0.25	0.25	0.00	0.00	0.00	0.00	0.25	0.00	0.25	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.25
70	0.25	1.00	1.00	0.75	0.75	0.75	0.50	0.50	0.75	0.75	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.25	0.25	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25
71	0.25	1.00	1.00	0.75	0.75	0.75	0.75	0.50	0.50	0.75	0.50	0.50	0.50	0.75	0.50	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.25	0.50	0.25	0.25	0.50
72	0.00	0.75	0.75	1.00	0.75	0.75	0.50	0.50	0.75	0.50	0.50	0.25	0.50	0.50	0.25	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.25	0.25	0.25	0.25	0.25
73	0.00	0.75	0.75	0.75	1.00	0.75	0.75	0.50	0.75	0.75	0.50	0.50	0.75	0.50	0.25	0.50	0.50	0.25	0.50	0.25	0.50	0.50	0.25	0.25	0.50	0.25	0.25
74	0.00	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.75	0.25	0.25	0.50	0.50	0.25
75	0.00	0.50	0.75	0.50	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.25	0.50	0.50	0.50	0.25
80	0.25	0.50	0.50	0.50	0.50	0.75	0.75	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.50	0.25	0.50	0.75	0.50	0.75	0.75	0.50	0.50	0.50	0.50	0.50
81	0.00	0.75	0.50	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.50	0.50	0.50	0.75	0.50	0.75	0.75	0.50	0.50	0.50	0.50	0.50
82	0.25	0.75	0.75	0.50	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.75	0.50	0.75	0.75	0.50	0.50	0.75	0.50	0.50
83	0.00	0.50	0.50	0.50	0.50	0.75	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.75	0.50	0.75	1.00	0.50	0.50	0.50	0.50	0.50
84	0.00	0.50	0.50	0.25	0.50	0.75	0.75	0.75	1.00	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.50	0.50	0.75	0.75	0.75	1.00	0.50	0.50	0.50	0.50	0.50
85	0.00	0.25	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.50	0.75	0.75	0.50	0.75	1.00	0.75	0.50	0.75	0.50	0.50
86	0.00	0.50	0.75	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50
87	0.00	0.50	0.50	0.25	0.25	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.75	0.50
88	0.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.75	0.75	0.75

89	0.00	0.50	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	1.00	0.50	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.75	0.75
90	0.00	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.50	1.00	1.00	1.00	1.00	0.75	1.00	0.75	1.00	0.75	0.50
91	0.00	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.50	1.00	1.00	1.00	1.00	0.75	1.00	0.75	1.00	0.75	0.50
92	0.00	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.75	0.50	1.00	1.00	1.00	1.00	0.75	1.00	0.75	1.00	0.75	0.50
93	0.00	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.50	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75
94	0.00	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.50	0.75	0.75	0.50	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.50	0.50
95	0.00	0.25	0.25	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.25	0.50	0.50	0.25	1.00	1.00	1.00	0.75	0.75	1.00	1.00	1.00	0.75	0.75
96	0.00	0.25	0.50	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	0.75
97	0.00	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.50	0.50	0.50	0.50	1.00	1.00	1.00	0.75	0.75	1.00	1.00	1.00	1.00	0.75
98	0.00	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	1.00	1.00	1.00
99	0.25	0.25	0.50	0.25	0.25	0.25	0.25	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.50	0.50	0.50	0.75	0.50	0.75	0.75	0.75	1.00	1.00

Correlation coefficients for windstorm risk in the Kingdom of Belgium

$j \backslash i$	1	2	3	4	5	6	7	8	9
1	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
2	1.00	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00
3	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00
4	1.00	0.75	1.00	1.00	1.00	1.00	1.00	0.75	0.75
5	1.00	0.75	1.00	1.00	1.00	1.00	1.00	0.75	0.75
6	1.00	0.75	1.00	1.00	1.00	1.00	1.00	0.75	0.75
7	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
8	1.00	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00
9	1.00	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00

Correlation coefficients for windstorm risk in the Czech Republic

$j \backslash i$	10	11	12	13	14	15	16	17	18	19	25	26	27	28	29	30	31	32	33
10	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
11	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
12	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
13	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
14	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
15	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
16	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
17	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
18	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
19	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
25	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
26	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00
27	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
28	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75
29	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	1.00	1.00	0.75	0.75	0.75	0.75
30	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	1.00	1.00	1.00	1.00
31	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	1.00	1.00	1.00	1.00
32	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	1.00	1.00	1.00	1.00
33	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	1.00	1.00	1.00	1.00

$j \backslash i$	10	11	12	13	14	15	16	17	18	19	25	26	27	28	29	30	31	32	33
34	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	1.00	1.00	1.00	1.00
35	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	1.00	1.00	1.00	1.00
36	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	1.00	0.75	0.75	1.00	1.00	1.00	1.00

37	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
38	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
39	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00	1.00
40	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75
41	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75
43	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75
44	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00	1.00
46	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75
47	0.75	1.00	1.00	1.00	0.75	0.75	1.00	1.00	1.00	1.00	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75
50	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	1.00	1.00	0.75	0.75	0.75	0.75
51	1.00	0.75	0.75	1.00	0.75	0.75	0.75	1.00	1.00	1.00	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.75
53	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.75
54	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.75
55	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.75
56	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75
57	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75
58	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75

$\begin{smallmatrix} j \backslash i \\ \end{smallmatrix}$	10	11	12	13	14	15	16	17	18	19	25	26	27	28	29	30	31	32	33
59	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
60	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
61	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
62	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
63	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
64	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
66	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75

67	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
68	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
69	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.50	0.75	0.75	0.75
70	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50
71	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50
72	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50
73	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.50	0.50	0.50
74	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
76	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
77	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
78	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
79	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8

$j \setminus i$	34	35	36	37	38	39	40	41	43	44	46	47	50	51	53	54	55	56	57	58
10	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	0.75	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75
11	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75
12	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75
13	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75
14	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75
15	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75
16	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75
17	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75
18	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75
19	0.75	0.75	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75
25	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	1.00	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75	1.00
26	1.00	0.75	1.00	0.75	0.75	1.00	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00

27	0.75	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00	1.00	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75
28	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
29	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75
30	1.00	1.00	1.00	0.75	0.75	1.00	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
31	1.00	1.00	1.00	0.75	0.75	1.00	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
32	1.00	1.00	1.00	0.75	0.75	1.00	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
33	1.00	1.00	1.00	0.75	0.75	1.00	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75

$\begin{smallmatrix} j \\ i \end{smallmatrix}$	34	35	36	37	38	39	40	41	43	44	46	47	50	51	53	54	55	56	57	58
34	1.00	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
35	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
36	0.75	1.00	1.00	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
37	0.75	0.75	0.75	1.00	1.00	1.00	0.50	0.75	0.75	0.75	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00
38	0.75	0.75	0.75	1.00	1.00	1.00	0.50	0.75	0.75	0.75	0.50	0.50	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75
39	1.00	0.75	0.75	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00
40	0.75	0.75	0.75	0.50	0.50	0.75	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
41	0.75	0.75	1.00	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75
43	0.75	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
44	0.75	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
46	0.75	0.75	0.75	0.50	0.50	0.75	1.00	1.00	0.75	0.75	1.00	1.00	1.00	1.00	0.75	1.00	1.00	0.75	0.75	0.75
47	0.75	0.75	0.75	0.50	0.50	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	1.00	0.75	0.75	0.75
50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75
51	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75
53	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
54	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75
55	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75
56	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	1.00	1.00	1.00

57	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	1.00	1.00	1.00
58	0.75	0.75	0.75	1.00	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	1.00	1.00	1.00

$j \setminus i$	34	35	36	37	38	39	40	41	43	44	46	47	50	51	53	54	55	56	57	58
59	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	1.00	1.00	1.00
60	0.75	0.50	0.50	0.75	0.75	0.75	0.50	0.75	0.50	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00
61	0.75	0.50	0.50	0.75	0.75	0.75	0.50	0.75	0.50	0.75	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00
62	0.75	0.50	0.50	0.75	0.75	0.75	0.50	0.75	0.50	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00
63	0.75	0.50	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00
64	0.75	0.50	0.75	0.75	0.75	0.75	0.50	0.75	0.50	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00
66	0.75	0.50	0.75	1.00	0.75	0.75	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00
67	0.75	0.50	0.75	1.00	0.75	1.00	0.50	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00
68	0.75	0.50	0.50	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
69	0.75	0.50	0.50	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75
70	0.50	0.50	0.50	0.75	0.50	0.75	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
71	0.50	0.50	0.50	0.75	0.50	0.75	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
72	0.50	0.50	0.50	0.75	0.50	0.75	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
73	0.50	0.50	0.50	0.75	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
74	0.50	0.50	0.50	0.75	0.75	0.75	0.50	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75
75	0.50	0.50	0.50	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
76	0.50	0.50	0.50	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
77	0.75	0.50	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75
78	0.8	0.5	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1	0.8	0.8	1	1	0.8
79	0.8	0.5	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1	0.8	0.8	1	1	0.8

37	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.8	0.8
38	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.75	0.8	0.8
39	1.00	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.8	0.8
40	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.8	0.8
41	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.8	0.8
43	0.75	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.8	0.8
44	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.50	0.50	0.75	0.8	0.8
46	0.75	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.75	0.75	0.75	0.50	0.75	0.50	0.50	0.75	0.8	0.8
47	0.75	0.75	0.50	0.75	0.75	0.75	0.50	0.75	0.50	0.50	0.75	0.75	0.75	0.50	0.75	0.50	0.50	0.75	0.8	0.8
50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.8	0.8
51	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.8	0.8
53	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1	1
54	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.50	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.8	0.8
55	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.8	0.8
56	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	1.00	1	1
57	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.75	1.00	1	1
58	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.8	0.8

$j \setminus i$	59	60	61	62	63	64	66	67	68	69	70	71	72	73	74	75	76	77	78	79
59	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1	1
60	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.8	0.8
61	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.8	0.8
62	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.8	0.8
63	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.8	0.8
64	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.8	0.8
66	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.8	0.8

67	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.8	0.8
68	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	0.8	0.8
69	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.75	0.75	1.00	0.75	0.8	0.8
70	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	1	1
71	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	1	1
72	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	1	1
73	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1	1
74	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1	1
75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1	1
76	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	0.8	0.8
77	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75	1.00	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1	1
78	1	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1	1	1	1	1	1	0.8	1	1	1
79	1	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	1	1	1	1	1	1	0.8	1	1	1

Correlation coefficients for windstorm risk in the Kingdom of Denmark

$j \backslash i$	1	2	3	4	5	6	7	8	9	10	11
1	1.00	1.00	0.75	0.50	0.50	0.50	0.50	0.25	0.50	0.50	0.25
2	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.50	0.75	0.50	0.25
3	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	1.00	0.75	0.50
4	0.50	0.75	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.75	0.50
5	0.50	0.75	1.00	1.00	1.00	1.00	1.00	0.75	0.75	0.75	0.50
6	0.50	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.75
7	0.50	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	1.00	0.75
8	0.25	0.50	0.75	0.75	0.75	1.00	1.00	1.00	0.75	1.00	0.75
9	0.50	0.75	1.00	0.75	0.75	1.00	1.00	0.75	1.00	1.00	0.75
10	0.50	0.50	0.75	0.75	0.75	1.00	1.00	1.00	1.00	1.00	0.75

11	0,25	0,25	0,50	0,50	0,50	0,75	0,75	0,75	0,75	0,75	1,00
----	------	------	------	------	------	------	------	------	------	------	------

Correlation coefficients for windstorm risk in the French Republic

i \ j	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
1	1,00	0,50	1,00	0,75	1,00	0,75	0,75	0,25	0,50	0,50	0,75	0,75	0,75	0,25	0,75	0,50	0,50	0,75	0,75	0,25	1,00	0,25	0,75	0,75	1,00
2	0,50	1,00	0,50	0,25	0,25	0,25	0,25	1,00	0,25	0,75	0,25	0,25	0,25	0,75	0,25	0,25	0,25	0,50	0,25	0,00	0,50	0,50	0,50	0,25	0,50
3	1,00	0,50	1,00	0,50	0,75	0,50	0,75	0,25	0,50	0,50	0,50	0,50	0,50	0,25	0,75	0,75	0,75	0,75	0,75	0,25	0,75	0,25	1,00	0,75	0,75
4	0,75	0,25	0,50	1,00	1,00	1,00	0,75	0,25	0,50	0,25	0,75	0,75	1,00	0,00	0,75	0,50	0,25	0,50	0,75	0,25	0,50	0,00	0,50	0,50	0,50
5	1,00	0,25	0,75	1,00	1,00	1,00	1,00	0,25	0,75	0,50	0,75	0,75	1,00	0,25	0,75	0,50	0,50	0,50	0,75	0,25	0,75	0,25	0,75	0,75	0,75
6	0,75	0,25	0,50	1,00	1,00	1,00	0,75	0,25	0,50	0,25	0,75	0,75	1,00	0,25	0,75	0,50	0,25	0,50	0,50	0,25	0,50	0,25	0,50	0,50	0,50
7	0,75	0,25	0,75	0,75	1,00	0,75	1,00	0,25	0,75	0,50	0,75	1,00	0,75	0,00	1,00	0,50	0,50	0,50	0,75	0,25	0,75	0,00	0,75	0,75	0,75
8	0,25	1,00	0,25	0,25	0,25	0,25	0,25	1,00	0,25	0,75	0,25	0,25	0,00	0,50	0,25	0,25	0,25	0,50	0,25	0,00	0,50	0,50	0,50	0,25	0,50
9	0,50	0,25	0,50	0,50	0,75	0,50	0,75	0,25	1,00	0,25	1,00	0,75	0,50	0,00	0,50	0,25	0,25	0,25	0,50	0,00	0,25	0,00	0,50	0,50	0,50
10	0,50	0,75	0,50	0,25	0,50	0,25	0,50	0,75	0,25	1,00	0,50	0,25	0,25	0,50	0,50	0,50	0,25	0,75	0,50	0,00	0,75	0,50	0,50	0,25	0,75
11	0,75	0,25	0,50	0,75	0,75	0,75	0,75	0,25	1,00	0,50	1,00	0,75	0,75	0,00	0,75	0,50	0,25	0,50	0,75	0,25	0,50	0,00	0,50	0,50	0,50
12	0,75	0,25	0,50	0,75	0,75	0,75	1,00	0,25	0,75	0,25	0,75	1,00	0,75	0,00	1,00	0,50	0,50	0,50	0,75	0,25	0,50	0,00	0,50	0,75	0,75
13	0,75	0,25	0,50	1,00	1,00	1,00	0,75	0,00	0,50	0,25	0,75	0,75	1,00	0,25	0,50	0,50	0,25	0,25	0,50	0,25	0,50	0,25	0,25	0,50	0,50
14	0,25	0,75	0,25	0,00	0,25	0,25	0,00	0,50	0,00	0,50	0,00	0,00	0,25	1,00	0,00	0,25	0,25	0,25	0,25	0,00	0,25	1,00	0,25	0,25	0,25
15	0,75	0,25	0,75	0,75	0,75	0,75	1,00	0,25	0,50	0,50	0,75	1,00	0,50	0,00	1,00	0,50	0,50	0,50	1,00	0,00	0,50	0,25	0,75	0,75	0,75
16	0,50	0,25	0,75	0,50	0,50	0,50	0,50	0,25	0,25	0,50	0,50	0,50	0,50	0,25	0,50	1,00	1,00	0,75	0,75	0,00	0,50	0,25	0,75	0,75	0,50
17	0,50	0,25	0,75	0,25	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,50	1,00	1,00	0,75	0,75	0,00	0,50	0,25	0,75	0,75	0,50
18	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,50	0,25	0,75	0,50	0,50	0,25	0,25	0,50	0,75	0,75	1,00	0,75	0,00	0,75	0,50	0,75	0,50	0,75
19	0,75	0,25	0,75	0,75	0,75	0,50	0,75	0,25	0,50	0,50	0,75	0,75	0,50	0,25	1,00	0,75	0,75	0,75	1,00	0,25	0,50	0,25	0,75	1,00	0,75
20	0,25	0,00	0,25	0,25	0,25	0,25	0,25	0,00	0,00	0,00	0,25	0,25	0,25	0,00	0,00	0,00	0,00	0,00	0,25	1,00	0,25	0,00	0,00	0,25	0,00
21	1,00	0,50	0,75	0,50	0,75	0,50	0,75	0,50	0,25	0,75	0,50	0,50	0,50	0,25	0,50	0,50	0,50	0,75	0,50	0,25	1,00	0,25	0,75	0,50	1,00
22	0,25	0,50	0,25	0,00	0,25	0,25	0,00	0,50	0,00	0,50	0,00	0,00	0,25	1,00	0,25	0,25	0,25	0,50	0,25	0,00	0,25	1,00	0,25	0,25	0,25

23	0,75	0,50	1,00	0,50	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,50	0,25	0,25	0,75	0,75	0,75	0,75	0,75	0,00	0,75	0,25	1,00	0,75	0,75
24	0,75	0,25	0,75	0,50	0,75	0,50	0,75	0,25	0,50	0,25	0,50	0,75	0,50	0,25	0,75	0,75	0,75	0,50	1,00	0,25	0,50	0,25	0,75	1,00	0,50
25	1,00	0,50	0,75	0,50	0,75	0,50	0,75	0,50	0,50	0,75	0,50	0,75	0,50	0,25	0,75	0,50	0,50	0,75	0,75	0,00	1,00	0,25	0,75	0,50	1,00

$\begin{smallmatrix} j \\ i \end{smallmatrix}$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	1,00	0,25	0,75	1,00	1,00	0,75	1,00	0,25	0,75	0,50	0,75	1,00	1,00	0,00	1,00	0,50	0,50	0,50	0,75	0,25	0,75	0,25	0,75	0,75	0,75
27	0,25	0,75	0,25	0,25	0,25	0,25	0,25	0,75	0,00	0,50	0,25	0,25	0,25	1,00	0,25	0,25	0,50	0,50	0,25	0,00	0,50	0,75	0,25	0,25	0,25
28	0,50	0,75	0,50	0,25	0,50	0,25	0,25	0,75	0,25	0,75	0,25	0,25	0,25	0,75	0,25	0,50	0,50	0,75	0,25	0,00	0,50	0,75	0,50	0,25	0,50
29	0,25	0,50	0,25	0,00	0,25	0,25	0,00	0,25	0,00	0,25	0,00	0,00	0,25	0,75	0,00	0,25	0,25	0,25	0,00	0,00	0,25	1,00	0,25	0,25	0,25
30	0,75	0,25	0,75	0,75	1,00	1,00	1,00	0,25	0,75	0,50	0,75	1,00	1,00	0,00	1,00	0,50	0,50	0,50	0,75	0,25	0,50	0,25	0,75	0,75	0,75
31	0,75	0,25	0,50	0,50	0,75	0,75	0,75	0,25	0,75	0,25	1,00	1,00	0,75	0,25	0,75	0,50	0,50	0,50	0,75	0,25	0,50	0,25	0,50	0,75	0,50
32	0,75	0,25	0,50	0,50	0,75	0,50	0,75	0,25	0,75	0,25	0,75	1,00	0,50	0,00	0,75	0,50	0,50	0,50	0,75	0,25	0,50	0,00	0,50	0,75	0,50
33	0,50	0,25	0,50	0,50	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,75	0,50	0,25	0,75	0,75	0,75	0,50	0,75	0,25	0,50	0,25	0,75	1,00	0,50
34	0,75	0,25	0,50	0,75	0,75	0,75	0,75	0,25	0,75	0,25	1,00	0,75	1,00	0,25	0,75	0,50	0,50	0,50	0,75	0,25	0,50	0,25	0,50	0,50	0,50
35	0,25	0,50	0,25	0,00	0,25	0,25	0,00	0,50	0,00	0,50	0,00	0,00	0,25	1,00	0,00	0,25	0,50	0,50	0,25	0,00	0,25	1,00	0,25	0,25	0,25
36	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,50	0,25	0,75	0,50	0,50	0,25	0,25	0,50	0,75	0,75	1,00	0,75	0,00	0,75	0,50	1,00	0,75	0,75
37	0,50	0,50	0,50	0,25	0,50	0,25	0,25	0,50	0,25	0,75	0,25	0,25	0,25	0,50	0,50	0,75	0,75	0,75	0,50	0,00	0,75	0,50	0,75	0,50	0,50
38	1,00	0,50	0,75	1,00	1,00	1,00	1,00	0,25	0,50	0,50	0,75	0,75	1,00	0,25	1,00	0,50	0,50	0,75	0,75	0,25	0,75	0,25	0,75	0,75	1,00
39	1,00	0,25	0,75	0,75	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,75	0,25	0,25	0,75	0,50	0,50	0,75	0,75	0,00	1,00	0,25	0,75	0,50	1,00
40	0,50	0,25	0,50	0,50	0,75	0,50	0,50	0,25	0,50	0,25	0,75	0,75	0,50	0,00	0,75	0,50	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,75	0,50
41	0,50	0,75	0,50	0,25	0,50	0,25	0,25	0,50	0,25	0,75	0,25	0,25	0,25	0,50	0,50	0,50	0,75	1,00	0,50	0,00	0,75	0,50	0,50	0,50	0,50
42	1,00	0,25	1,00	0,75	1,00	0,75	1,00	0,25	0,50	0,50	0,75	0,75	0,75	0,25	0,75	0,50	0,50	0,75	0,75	0,25	0,75	0,25	0,75	0,75	0,75
43	1,00	0,25	0,75	0,75	1,00	0,75	1,00	0,25	0,50	0,50	0,75	1,00	0,75	0,00	1,00	0,50	0,50	0,50	0,75	0,25	0,75	0,25	0,75	0,75	0,75
44	0,25	0,50	0,50	0,00	0,25	0,25	0,25	0,25	0,00	0,50	0,00	0,25	0,25	0,75	0,25	0,50	0,75	0,50	0,25	0,00	0,50	0,75	0,50	0,25	0,25
45	0,50	0,75	0,50	0,25	0,50	0,25	0,25	0,75	0,25	1,00	0,25	0,25	0,25	0,50	0,50	0,50	0,50	1,00	0,50	0,00	0,75	0,50	0,50	0,50	0,50
46	0,75	0,25	0,75	0,75	0,75	0,50	1,00	0,25	0,75	0,50	0,75	1,00	0,50	0,00	1,00	0,50	0,50	0,50	1,00	0,25	0,50	0,00	0,75	1,00	0,50
47	0,75	0,25	0,50	0,75	0,75	0,50	0,75	0,25	0,50	0,50	0,75	0,75	0,50	0,25	0,75	0,75	0,50	0,50	0,75	0,25	0,50	0,25	0,75	1,00	0,50

48	0,75	0,25	0,50	0,75	0,75	0,50	1,00	0,25	0,50	0,25	0,75	1,00	0,75	0,00	1,00	0,50	0,25	0,50	0,75	0,00	0,50	0,00	0,50	0,75	0,50
49	0,25	0,50	0,50	0,25	0,25	0,25	0,25	0,50	0,00	0,50	0,25	0,25	0,25	0,50	0,25	0,50	0,75	0,75	0,25	0,00	0,50	0,75	0,50	0,50	0,25
50	0,25	0,75	0,25	0,00	0,25	0,25	0,00	0,50	0,00	0,50	0,00	0,00	0,25	1,00	0,00	0,25	0,25	0,25	0,00	0,00	0,25	1,00	0,25	0,25	0,25

$\begin{smallmatrix} j \\ i \end{smallmatrix}$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
51	0,50	1,00	0,50	0,25	0,50	0,25	0,25	1,00	0,25	1,00	0,25	0,25	0,25	0,50	0,25	0,50	0,50	0,75	0,50	0,00	0,75	0,50	0,50	0,25	0,50
52	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,75	0,25	1,00	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,75	0,50	0,00	1,00	0,25	0,50	0,25	0,75
53	0,50	0,75	0,50	0,25	0,50	0,25	0,25	0,50	0,00	0,50	0,25	0,25	0,25	1,00	0,25	0,50	0,50	0,50	0,25	0,00	0,50	0,75	0,50	0,25	0,50
54	0,50	0,75	0,50	0,25	0,50	0,25	0,50	0,75	0,25	0,75	0,50	0,25	0,25	0,50	0,50	0,25	0,25	0,75	0,50	0,00	0,75	0,50	0,50	0,50	0,75
55	0,50	0,75	0,50	0,25	0,25	0,25	0,50	0,75	0,25	1,00	0,25	0,25	0,00	0,50	0,25	0,25	0,25	0,75	0,50	0,00	0,75	0,50	0,50	0,25	0,75
56	0,25	0,50	0,25	0,00	0,25	0,25	0,00	0,50	0,00	0,25	0,00	0,00	0,25	0,75	0,00	0,25	0,50	0,50	0,25	0,00	0,25	1,00	0,25	0,25	0,25
57	0,50	0,75	0,50	0,25	0,50	0,25	0,50	0,75	0,25	0,75	0,50	0,25	0,25	0,50	0,50	0,25	0,25	0,50	0,50	0,00	0,75	0,50	0,50	0,50	0,75
58	0,75	0,50	1,00	0,50	0,75	0,50	0,75	0,50	0,25	0,75	0,50	0,50	0,25	0,25	0,50	0,50	0,50	1,00	0,75	0,00	1,00	0,25	0,75	0,50	0,75
59	0,25	0,75	0,25	0,00	0,00	0,25	0,00	0,75	0,00	0,50	0,00	0,00	0,25	0,50	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,50	0,25	0,25	0,25
60	0,50	1,00	0,50	0,25	0,25	0,25	0,25	0,75	0,25	0,75	0,25	0,25	0,25	0,75	0,25	0,25	0,25	0,50	0,25	0,00	0,50	0,75	0,50	0,25	0,50
61	0,25	0,75	0,25	0,25	0,25	0,25	0,25	0,75	0,00	0,50	0,25	0,25	0,25	1,00	0,25	0,25	0,50	0,50	0,25	0,00	0,50	0,75	0,25	0,25	0,50
62	0,00	0,75	0,00	0,00	0,00	0,00	0,00	0,50	0,00	0,25	0,00	0,00	0,25	0,75	0,00	0,00	0,25	0,25	0,00	0,00	0,25	0,50	0,00	0,00	0,25
63	1,00	0,25	1,00	0,75	0,75	0,75	0,75	0,25	0,50	0,50	0,75	0,75	0,75	0,25	0,75	0,75	0,75	0,75	1,00	0,25	0,75	0,25	1,00	0,75	0,75
64	0,75	0,25	0,50	0,50	0,75	0,50	0,50	0,25	1,00	0,25	0,75	0,75	0,50	0,25	0,50	0,50	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,75	0,50
65	0,75	0,25	0,50	0,50	0,75	0,50	0,75	0,25	1,00	0,25	0,75	0,75	0,50	0,00	0,50	0,50	0,25	0,50	0,50	0,25	0,50	0,00	0,50	0,50	0,50
66	0,50	0,25	0,50	0,75	0,75	0,50	0,75	0,25	1,00	0,25	1,00	0,75	0,75	0,00	0,50	0,25	0,25	0,25	0,50	0,00	0,50	0,00	0,50	0,50	0,50
67	0,75	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,25	0,75	0,50	0,50	0,50	0,25	0,50	0,50	0,25	0,50	0,50	0,25	0,75	0,25	0,50	0,50	0,75
68	0,75	0,50	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,75	0,50	0,50	0,50	0,25	0,50	0,50	0,25	0,50	0,50	0,00	0,75	0,25	0,50	0,50	1,00
69	1,00	0,25	1,00	0,75	1,00	0,75	1,00	0,25	0,50	0,50	0,75	0,75	0,75	0,25	0,75	0,50	0,50	0,75	0,75	0,25	1,00	0,25	0,75	0,75	0,75
70	0,75	0,50	0,75	0,50	0,50	0,25	0,75	0,50	0,50	0,75	0,50	0,50	0,25	0,25	0,50	0,50	0,50	0,75	0,50	0,00	1,00	0,25	0,50	0,50	1,00
71	1,00	0,50	1,00	0,75	0,75	0,50	0,75	0,25	0,50	0,50	0,50	0,75	0,50	0,25	0,75	0,50	0,50	0,75	0,75	0,25	1,00	0,25	0,75	0,50	1,00
72	0,50	0,75	0,50	0,25	0,50	0,25	0,25	0,50	0,00	0,75	0,25	0,25	0,25	0,75	0,25	0,50	0,50	0,75	0,25	0,00	0,50	0,75	0,50	0,25	0,50

73	1,00	0,50	0,75	0,75	1,00	0,75	1,00	0,25	0,50	0,50	0,75	0,75	0,75	0,25	0,75	0,50	0,50	0,75	0,75	0,25	0,75	0,25	0,75	0,75	1,00
74	1,00	0,50	1,00	0,75	1,00	0,75	0,75	0,25	0,50	0,50	0,75	0,75	0,75	0,25	0,75	0,50	0,50	0,75	0,75	0,25	1,00	0,25	0,75	0,75	1,00
75	0,25	1,00	0,50	0,00	0,25	0,25	0,25	0,75	0,00	0,75	0,25	0,25	0,25	0,75	0,25	0,50	0,50	0,75	0,25	0,00	0,50	0,75	0,50	0,25	0,50

$\begin{smallmatrix} j \\ i \end{smallmatrix}$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
76	0,25	0,75	0,25	0,00	0,00	0,25	0,00	0,50	0,00	0,50	0,00	0,00	0,25	1,00	0,00	0,25	0,25	0,25	0,25	0,00	0,25	0,75	0,25	0,25	0,25
77	0,50	1,00	0,50	0,25	0,50	0,25	0,25	0,75	0,25	1,00	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,50	0,00	0,75	0,50	0,50	0,50	0,50
78	0,25	1,00	0,50	0,25	0,25	0,25	0,25	0,75	0,00	0,75	0,25	0,25	0,25	0,75	0,25	0,50	0,50	0,75	0,25	0,00	0,50	0,75	0,50	0,25	0,50
79	0,50	0,50	0,75	0,25	0,50	0,25	0,50	0,25	0,25	0,50	0,25	0,50	0,25	0,25	0,50	0,75	1,00	0,75	0,50	0,00	0,50	0,50	0,75	0,50	0,50
80	0,25	1,00	0,25	0,00	0,25	0,25	0,25	0,75	0,00	0,50	0,25	0,25	0,25	0,75	0,25	0,25	0,25	0,50	0,25	0,00	0,50	0,75	0,25	0,25	0,25
81	0,75	0,25	0,50	0,75	1,00	0,75	1,00	0,25	0,75	0,25	0,75	1,00	0,75	0,00	0,75	0,50	0,25	0,50	0,75	0,25	0,50	0,00	0,50	0,75	0,75
82	0,75	0,25	0,50	0,75	0,75	0,50	0,75	0,25	0,75	0,25	0,75	1,00	0,50	0,00	0,75	0,50	0,50	0,50	0,75	0,25	0,50	0,00	0,50	0,75	0,50
83	0,75	0,25	0,50	1,00	1,00	1,00	0,75	0,25	0,50	0,25	0,75	0,75	1,00	0,00	0,75	0,50	0,25	0,50	0,50	0,25	0,50	0,25	0,50	0,50	0,50
84	1,00	0,25	0,75	1,00	1,00	1,00	1,00	0,25	0,50	0,50	0,75	1,00	1,00	0,00	0,75	0,50	0,50	0,50	0,75	0,25	0,75	0,25	0,75	0,75	0,75
85	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,25	0,00	0,50	0,25	0,25	0,25	0,50	0,25	0,75	1,00	0,75	0,50	0,00	0,50	0,50	0,75	0,50	0,50
86	0,50	0,50	0,75	0,25	0,50	0,25	0,50	0,50	0,25	0,50	0,25	0,50	0,25	0,25	0,50	0,75	1,00	0,75	0,75	0,25	0,50	0,50	0,75	0,50	0,50
87	0,75	0,25	0,75	0,50	0,75	0,50	0,50	0,25	0,25	0,50	0,50	0,50	0,50	0,25	0,75	1,00	1,00	0,75	1,00	0,00	0,50	0,25	1,00	0,75	0,50
88	0,75	0,50	0,50	0,50	0,50	0,25	0,50	0,50	0,25	0,75	0,50	0,50	0,25	0,25	0,50	0,50	0,25	0,75	0,50	0,00	1,00	0,25	0,50	0,50	1,00
89	0,50	0,75	0,50	0,25	0,50	0,25	0,50	0,75	0,25	1,00	0,25	0,25	0,25	0,50	0,50	0,50	0,50	1,00	0,50	0,00	0,75	0,50	0,75	0,25	0,75
90	0,75	0,25	0,50	0,50	0,50	0,25	0,50	0,50	0,50	0,75	0,25	0,50	0,25	0,25	0,50	0,25	0,25	0,50	0,50	0,00	1,00	0,25	0,50	0,50	1,00
91	0,50	0,75	0,50	0,25	0,50	0,25	0,25	0,75	0,25	0,75	0,25	0,25	0,25	0,75	0,50	0,50	0,50	0,75	0,50	0,00	0,75	0,50	0,50	0,50	0,50
92	0,50	1,00	0,50	0,25	0,25	0,25	0,25	0,75	0,00	0,75	0,25	0,25	0,25	0,75	0,25	0,50	0,50	0,75	0,25	0,00	0,50	0,75	0,50	0,50	0,50
93	0,50	1,00	0,50	0,25	0,50	0,25	0,25	0,75	0,25	0,75	0,25	0,25	0,25	0,75	0,25	0,50	0,50	0,75	0,50	0,00	0,50	0,75	0,50	0,25	0,50
94	0,50	1,00	0,50	0,25	0,50	0,25	0,25	0,75	0,25	0,75	0,25	0,25	0,25	0,75	0,25	0,50	0,50	0,75	0,50	0,00	0,75	0,75	0,50	0,50	0,50
95	0,50	1,00	0,50	0,25	0,50	0,25	0,25	0,75	0,25	0,75	0,25	0,25	0,25	0,75	0,25	0,50	0,50	0,75	0,25	0,00	0,50	0,75	0,50	0,25	0,50

$\begin{smallmatrix} j & i \end{smallmatrix}$	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
1	1,00	0,25	0,50	0,25	0,75	0,75	0,75	0,50	0,75	0,25	0,75	0,50	1,00	1,00	0,50	0,50	1,00	1,00	0,25	0,50	0,75	0,75	0,75	0,25	0,25
2	0,25	0,75	0,75	0,50	0,25	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,25	0,25	0,75	0,25	0,25	0,50	0,75	0,25	0,25	0,25	0,50	0,75
3	0,75	0,25	0,50	0,25	0,75	0,50	0,50	0,50	0,50	0,25	0,75	0,50	0,75	0,75	0,50	0,50	1,00	0,75	0,50	0,50	0,75	0,50	0,50	0,50	0,25
4	1,00	0,25	0,25	0,00	0,75	0,50	0,50	0,50	0,75	0,00	0,50	0,25	1,00	0,75	0,50	0,25	0,75	0,75	0,00	0,25	0,75	0,75	0,75	0,25	0,00
5	1,00	0,25	0,50	0,25	1,00	0,75	0,75	0,50	0,75	0,25	0,50	0,50	1,00	0,75	0,75	0,50	1,00	1,00	0,25	0,50	0,75	0,75	0,75	0,25	0,25
6	0,75	0,25	0,25	0,25	1,00	0,75	0,50	0,50	0,75	0,25	0,50	0,25	1,00	0,50	0,50	0,25	0,75	0,75	0,25	0,25	0,50	0,50	0,50	0,25	0,25
7	1,00	0,25	0,25	0,00	1,00	0,75	0,75	0,50	0,75	0,00	0,50	0,25	1,00	0,75	0,50	0,25	1,00	1,00	0,25	0,25	1,00	0,75	1,00	0,25	0,00
8	0,25	0,75	0,75	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,25	0,25	0,25	0,75	0,25	0,25	0,25	0,50	0,50
9	0,75	0,00	0,25	0,00	0,75	0,75	0,75	0,50	0,75	0,00	0,25	0,25	0,50	0,50	0,50	0,25	0,50	0,50	0,00	0,25	0,75	0,50	0,50	0,00	0,00
10	0,50	0,50	0,75	0,25	0,50	0,25	0,25	0,25	0,25	0,50	0,75	0,75	0,50	0,50	0,25	0,75	0,50	0,50	0,50	1,00	0,50	0,50	0,25	0,50	0,50
11	0,75	0,25	0,25	0,00	0,75	1,00	0,75	0,50	1,00	0,00	0,50	0,25	0,75	0,50	0,75	0,25	0,75	0,75	0,00	0,25	0,75	0,75	0,75	0,25	0,00
12	1,00	0,25	0,25	0,00	1,00	1,00	1,00	0,75	0,75	0,00	0,50	0,25	0,75	0,75	0,75	0,25	0,75	1,00	0,25	0,25	1,00	0,75	1,00	0,25	0,00
13	1,00	0,25	0,25	0,25	1,00	0,75	0,50	0,50	1,00	0,25	0,25	0,25	1,00	0,25	0,50	0,25	0,75	0,75	0,25	0,25	0,50	0,50	0,75	0,25	0,25
14	0,00	1,00	0,75	0,75	0,00	0,25	0,00	0,25	0,25	1,00	0,25	0,50	0,25	0,25	0,00	0,50	0,25	0,00	0,75	0,50	0,00	0,25	0,00	0,50	1,00
15	1,00	0,25	0,25	0,00	1,00	0,75	0,75	0,75	0,75	0,00	0,50	0,50	1,00	0,75	0,75	0,50	0,75	1,00	0,25	0,50	1,00	0,75	1,00	0,25	0,00
16	0,50	0,25	0,50	0,25	0,50	0,50	0,50	0,75	0,50	0,25	0,75	0,75	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,50	0,25
17	0,50	0,50	0,50	0,25	0,50	0,50	0,50	0,75	0,50	0,50	0,75	0,75	0,50	0,50	0,50	0,75	0,50	0,50	0,75	0,50	0,50	0,50	0,25	0,75	0,25
18	0,50	0,50	0,75	0,25	0,50	0,50	0,50	0,50	0,50	0,50	1,00	0,75	0,75	0,75	0,50	1,00	0,75	0,50	0,50	1,00	0,50	0,50	0,50	0,75	0,25
19	0,75	0,25	0,25	0,00	0,75	0,75	0,75	0,75	0,75	0,25	0,75	0,50	0,75	0,75	0,50	0,50	0,75	0,75	0,25	0,50	1,00	0,75	0,75	0,25	0,00
20	0,25	0,00	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,00	0,00	0,00	0,25	0,00	0,25	0,00	0,25	0,25	0,00	0,00	0,25	0,25	0,00	0,00	0,00
21	0,75	0,50	0,50	0,25	0,50	0,50	0,50	0,50	0,50	0,25	0,75	0,75	0,75	1,00	0,50	0,75	0,75	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,25
22	0,25	0,75	0,75	1,00	0,25	0,25	0,00	0,25	0,25	1,00	0,50	0,50	0,25	0,25	0,25	0,50	0,25	0,25	0,75	0,50	0,00	0,25	0,00	0,75	1,00
23	0,75	0,25	0,50	0,25	0,75	0,50	0,50	0,75	0,50	0,25	1,00	0,75	0,75	0,75	0,50	0,50	0,75	0,75	0,50	0,50	0,75	0,75	0,50	0,50	0,25
24	0,75	0,25	0,25	0,25	0,75	0,75	0,75	1,00	0,50	0,25	0,75	0,50	0,75	0,50	0,75	0,50	0,75	0,75	0,25	0,50	1,00	1,00	0,75	0,50	0,25
25	0,75	0,25	0,50	0,25	0,75	0,50	0,50	0,50	0,50	0,25	0,75	0,50	1,00	1,00	0,50	0,50	0,75	0,75	0,25	0,50	0,50	0,50	0,50	0,25	0,25

j \ i	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
26	1,00	0,25	0,50	0,00	1,00	0,75	0,75	0,50	0,75	0,25	0,50	0,50	1,00	0,75	0,75	0,50	1,00	1,00	0,25	0,50	1,00	0,75	1,00	0,25	0,00
27	0,25	1,00	1,00	0,75	0,25	0,25	0,25	0,25	0,25	0,75	0,50	0,75	0,50	0,25	0,25	0,75	0,25	0,25	0,75	0,75	0,25	0,25	0,00	0,75	1,00
28	0,50	1,00	1,00	0,50	0,25	0,25	0,25	0,25	0,25	0,75	0,75	0,75	0,50	0,50	0,25	1,00	0,50	0,25	0,75	1,00	0,25	0,25	0,25	0,75	0,75
29	0,00	0,75	0,50	1,00	0,00	0,25	0,00	0,25	0,25	0,75	0,25	0,50	0,25	0,25	0,00	0,50	0,25	0,00	0,75	0,50	0,00	0,00	0,00	0,50	0,75
30	1,00	0,25	0,25	0,00	1,00	0,75	0,75	0,50	1,00	0,00	0,50	0,25	1,00	0,75	0,75	0,50	1,00	1,00	0,25	0,25	1,00	1,00	1,00	0,25	0,00
31	0,75	0,25	0,25	0,25	0,75	1,00	1,00	0,75	0,75	0,25	0,50	0,50	0,75	0,50	0,75	0,25	0,75	0,75	0,25	0,25	0,75	0,75	0,75	0,25	0,25
32	0,75	0,25	0,25	0,00	0,75	1,00	1,00	0,75	0,75	0,00	0,50	0,25	0,75	0,50	0,75	0,25	0,75	0,75	0,25	0,25	1,00	1,00	0,75	0,25	0,00
33	0,50	0,25	0,25	0,25	0,50	0,75	0,75	1,00	0,50	0,25	0,50	0,50	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,50	0,75	1,00	0,50	0,50	0,25
34	0,75	0,25	0,25	0,25	1,00	0,75	0,75	0,50	1,00	0,25	0,50	0,25	0,75	0,50	0,75	0,25	0,75	0,75	0,25	0,25	0,75	0,75	0,75	0,25	0,25
35	0,25	0,75	0,75	0,75	0,00	0,25	0,00	0,25	0,25	1,00	0,50	0,75	0,25	0,25	0,25	0,75	0,25	0,00	1,00	0,50	0,00	0,25	0,00	0,75	1,00
36	0,50	0,50	0,75	0,25	0,50	0,50	0,50	0,50	0,50	0,50	1,00	1,00	0,75	0,75	0,50	0,75	0,75	0,50	0,50	0,75	0,50	0,50	0,50	0,75	0,25
37	0,50	0,75	0,75	0,50	0,25	0,50	0,25	0,50	0,25	0,75	1,00	1,00	0,50	0,50	0,50	1,00	0,50	0,50	0,75	1,00	0,50	0,50	0,25	1,00	0,50
38	1,00	0,50	0,50	0,25	1,00	0,75	0,75	0,75	0,75	0,25	0,75	0,50	1,00	1,00	0,75	0,50	1,00	1,00	0,25	0,50	0,75	0,75	0,75	0,50	0,25
39	0,75	0,25	0,50	0,25	0,75	0,50	0,50	0,50	0,50	0,25	0,75	0,50	1,00	1,00	0,50	0,50	1,00	0,75	0,25	0,50	0,75	0,50	0,75	0,25	0,25
40	0,75	0,25	0,25	0,00	0,75	0,75	0,75	0,75	0,75	0,25	0,50	0,50	0,75	0,50	1,00	0,25	0,50	0,50	0,25	0,25	0,75	1,00	0,50	0,25	0,00
41	0,50	0,75	1,00	0,50	0,50	0,25	0,25	0,50	0,25	0,75	0,75	1,00	0,50	0,50	0,25	1,00	0,50	0,50	0,75	1,00	0,50	0,50	0,25	0,75	0,50
42	1,00	0,25	0,50	0,25	1,00	0,75	0,75	0,50	0,75	0,25	0,75	0,50	1,00	1,00	0,50	0,50	1,00	1,00	0,25	0,50	0,75	0,75	1,00	0,50	0,25
43	1,00	0,25	0,25	0,00	1,00	0,75	0,75	0,50	0,75	0,00	0,50	0,50	1,00	0,75	0,50	0,50	1,00	1,00	0,25	0,50	0,75	0,75	1,00	0,25	0,00
44	0,25	0,75	0,75	0,75	0,25	0,25	0,25	0,50	0,25	1,00	0,50	0,75	0,25	0,25	0,25	0,75	0,25	0,25	1,00	0,50	0,25	0,25	0,25	1,00	0,75
45	0,50	0,75	1,00	0,50	0,25	0,25	0,25	0,50	0,25	0,50	0,75	1,00	0,50	0,50	0,25	1,00	0,50	0,50	0,50	1,00	0,50	0,25	0,25	0,75	0,50
46	1,00	0,25	0,25	0,00	1,00	0,75	1,00	0,75	0,75	0,00	0,50	0,50	0,75	0,75	0,75	0,50	0,75	0,75	0,25	0,50	1,00	1,00	1,00	0,25	0,00
47	0,75	0,25	0,25	0,00	1,00	0,75	1,00	1,00	0,75	0,25	0,50	0,50	0,75	0,50	1,00	0,50	0,75	0,75	0,25	0,25	1,00	1,00	0,75	0,25	0,00
48	1,00	0,00	0,25	0,00	1,00	0,75	0,75	0,50	0,75	0,00	0,50	0,25	0,75	0,75	0,50	0,25	1,00	1,00	0,25	0,25	1,00	0,75	1,00	0,25	0,00
49	0,25	0,75	0,75	0,50	0,25	0,25	0,25	0,50	0,25	0,75	0,75	1,00	0,50	0,25	0,25	0,75	0,50	0,25	1,00	0,75	0,25	0,25	0,25	1,00	0,50

50	0,00	1,00	0,75	0,75	0,00	0,25	0,00	0,25	0,25	1,00	0,25	0,50	0,25	0,25	0,00	0,50	0,25	0,00	0,75	0,50	0,00	0,00	0,00	0,50	1,00
----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

i \ j	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	0,50	0,75	0,75	0,50	0,50	0,25	0,25	0,25	0,25	0,50	0,75	0,75	0,50	0,50	0,25	0,75	0,50	0,25	0,50	0,75	0,25	0,25	0,25	0,50	0,50
52	0,50	0,50	0,75	0,25	0,50	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,25	0,75	0,50	0,50	0,50	0,75	0,50	0,25	0,50	0,50	0,25
53	0,25	1,00	1,00	0,75	0,25	0,25	0,25	0,25	0,25	1,00	0,50	0,75	0,50	0,25	0,25	0,75	0,25	0,25	1,00	0,75	0,25	0,25	0,25	1,00	0,75
54	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,25	0,75	0,50	0,50	0,25	0,75	0,50	0,50	0,25	0,50	0,50
55	0,50	0,50	0,75	0,25	0,50	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,25	0,50	0,25	0,75	0,25	0,50	0,50	0,75	0,50	0,25	0,25	0,50	0,50
56	0,25	0,75	0,50	1,00	0,25	0,25	0,00	0,25	0,25	1,00	0,50	0,50	0,25	0,25	0,25	0,50	0,25	0,00	1,00	0,50	0,00	0,25	0,00	0,75	0,75
57	0,50	0,50	0,50	0,25	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	0,25	0,50	0,50	0,50	0,25	0,75	0,50	0,50	0,25	0,50	0,50
58	0,75	0,50	0,75	0,25	0,75	0,50	0,50	0,50	0,50	0,50	1,00	0,75	0,75	0,75	0,50	0,75	0,75	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,25
59	0,00	0,75	0,50	0,50	0,00	0,25	0,00	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,00	0,25	0,25	0,00	0,50	0,50	0,25	0,25	0,00	0,50	0,50
60	0,25	1,00	1,00	0,50	0,25	0,25	0,25	0,25	0,25	0,75	0,50	0,75	0,50	0,25	0,25	0,75	0,25	0,25	0,50	0,75	0,25	0,25	0,25	0,50	0,75
61	0,25	1,00	1,00	0,75	0,25	0,25	0,25	0,25	0,25	1,00	0,50	0,75	0,25	0,25	0,25	0,75	0,25	0,25	0,75	0,75	0,25	0,25	0,00	0,75	1,00
62	0,00	0,75	0,50	0,50	0,00	0,25	0,00	0,25	0,25	0,50	0,25	0,25	0,25	0,00	0,00	0,25	0,25	0,00	0,50	0,25	0,00	0,00	0,00	0,25	0,75
63	0,75	0,25	0,50	0,25	0,75	0,75	0,75	0,75	0,75	0,25	0,75	0,50	1,00	0,75	0,50	0,50	1,00	0,75	0,25	0,50	0,75	0,75	0,75	0,50	0,25
64	0,75	0,25	0,25	0,25	0,75	1,00	1,00	0,75	0,75	0,25	0,50	0,50	0,75	0,50	1,00	0,25	0,75	0,50	0,25	0,25	0,75	0,75	0,50	0,25	0,00
65	0,75	0,25	0,25	0,00	0,75	1,00	1,00	0,50	0,75	0,00	0,50	0,25	0,75	0,50	0,75	0,25	0,75	0,75	0,00	0,25	0,75	0,75	0,50	0,25	0,00
66	0,75	0,25	0,25	0,00	0,75	0,75	0,75	0,25	0,75	0,00	0,25	0,25	0,50	0,50	0,50	0,25	0,50	0,50	0,00	0,25	0,75	0,50	0,50	0,25	0,00
67	0,50	0,50	0,50	0,25	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,50	0,75	0,75	0,50	0,50	0,50	0,50	0,25	0,75	0,50	0,50	0,50	0,50	0,25
68	0,75	0,50	0,50	0,25	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,50	0,75	0,75	0,50	0,50	0,75	0,75	0,25	0,50	0,50	0,50	0,50	0,50	0,25
69	1,00	0,25	0,50	0,25	0,75	0,75	0,75	0,50	0,75	0,25	0,75	0,50	1,00	1,00	0,75	0,50	1,00	1,00	0,25	0,50	0,75	0,75	0,75	0,50	0,25
70	0,75	0,50	0,50	0,25	0,50	0,25	0,50	0,50	0,25	0,25	0,50	0,50	0,75	1,00	0,25	0,50	0,75	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,25
71	0,75	0,25	0,50	0,25	0,75	0,50	0,50	0,50	0,50	0,25	0,75	0,50	1,00	1,00	0,50	0,50	1,00	0,75	0,25	0,50	0,50	0,50	0,75	0,50	0,25
72	0,25	1,00	1,00	0,50	0,25	0,25	0,25	0,25	0,25	0,75	0,75	1,00	0,50	0,25	0,25	1,00	0,50	0,25	1,00	0,75	0,25	0,25	0,25	1,00	0,75
73	1,00	0,50	0,50	0,25	0,75	0,75	0,75	0,50	0,75	0,25	0,75	0,50	1,00	1,00	0,75	0,50	1,00	0,75	0,25	0,50	0,75	0,75	0,75	0,50	0,25
74	0,75	0,50	0,50	0,25	0,75	0,75	0,75	0,50	0,75	0,25	0,75	0,50	1,00	1,00	0,75	0,50	1,00	0,75	0,25	0,50	0,75	0,75	0,75	0,50	0,25

75	0,25	1,00	1,00	0,50	0,25	0,25	0,25	0,50	0,25	0,75	0,75	0,75	0,50	0,50	0,25	0,75	0,50	0,25	0,75	1,00	0,25	0,25	0,25	0,75	0,75
----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

j \ i	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
76	0,00	1,00	0,75	0,75	0,00	0,25	0,00	0,25	0,25	1,00	0,25	0,50	0,25	0,25	0,00	0,50	0,25	0,00	0,50	0,50	0,00	0,00	0,00	0,50	1,00
77	0,25	0,75	1,00	0,50	0,25	0,50	0,25	0,50	0,50	0,75	0,75	0,75	0,50	0,50	0,25	1,00	0,50	0,25	0,50	1,00	0,25	0,25	0,25	0,75	0,50
78	0,25	1,00	1,00	0,50	0,25	0,25	0,25	0,25	0,25	0,75	0,50	0,75	0,50	0,25	0,25	0,75	0,50	0,25	0,75	0,75	0,25	0,25	0,25	0,75	0,75
79	0,50	0,50	0,50	0,25	0,50	0,50	0,25	0,50	0,25	0,50	1,00	1,00	0,50	0,50	0,50	0,75	0,50	0,50	0,75	0,75	0,50	0,50	0,25	0,75	0,25
80	0,25	1,00	0,75	0,50	0,25	0,25	0,25	0,25	0,25	0,75	0,25	0,50	0,25	0,25	0,25	0,50	0,25	0,25	0,50	0,50	0,25	0,25	0,00	0,50	0,75
81	1,00	0,25	0,25	0,00	1,00	1,00	1,00	0,75	1,00	0,00	0,50	0,25	0,75	0,75	0,75	0,25	0,75	0,75	0,25	0,25	1,00	0,75	1,00	0,25	0,00
82	1,00	0,25	0,25	0,00	1,00	1,00	1,00	0,75	0,75	0,00	0,50	0,25	0,75	0,50	0,75	0,25	0,75	0,75	0,25	0,25	1,00	1,00	0,75	0,25	0,00
83	0,75	0,25	0,25	0,25	1,00	0,50	0,50	0,50	0,75	0,25	0,50	0,25	0,75	0,50	0,50	0,25	0,75	0,75	0,25	0,25	0,50	0,50	0,50	0,25	0,00
84	1,00	0,25	0,25	0,00	1,00	0,75	0,75	0,50	1,00	0,00	0,50	0,50	1,00	0,75	0,75	0,50	1,00	1,00	0,25	0,25	0,75	0,75	0,75	0,25	0,00
85	0,25	0,50	0,75	0,50	0,25	0,25	0,25	0,50	0,25	0,75	0,75	0,75	0,50	0,50	0,25	0,75	0,50	0,25	1,00	0,50	0,25	0,25	0,25	1,00	0,50
86	0,50	0,50	0,50	0,25	0,50	0,50	0,50	0,75	0,25	0,50	1,00	1,00	0,50	0,50	0,50	0,75	0,50	0,50	0,75	0,75	0,50	0,50	0,50	0,75	0,25
87	0,75	0,25	0,50	0,25	0,50	0,50	0,50	0,75	0,50	0,25	0,75	0,75	0,75	0,50	0,50	0,50	0,75	0,50	0,50	0,50	0,75	0,75	0,50	0,50	0,25
88	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,75	0,25	0,75	0,50	0,50	0,25	0,75	0,50	0,50	0,50	0,50	0,25
89	0,50	0,50	0,75	0,25	0,50	0,25	0,25	0,25	0,25	0,50	0,75	0,75	0,50	0,50	0,25	1,00	0,50	0,50	0,50	1,00	0,50	0,25	0,25	0,50	0,25
90	0,50	0,25	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,25	0,50	0,50	0,75	1,00	0,25	0,50	0,75	0,50	0,25	0,50	0,50	0,50	0,50	0,50	0,25
91	0,25	0,75	1,00	0,50	0,25	0,50	0,25	0,50	0,25	0,75	0,75	0,75	0,50	0,50	0,25	1,00	0,50	0,25	0,50	1,00	0,25	0,25	0,25	0,75	0,75
92	0,25	1,00	1,00	0,50	0,25	0,50	0,25	0,50	0,25	0,75	0,75	0,75	0,50	0,50	0,25	0,75	0,50	0,25	0,75	1,00	0,25	0,25	0,25	0,75	0,75
93	0,50	1,00	1,00	0,50	0,25	0,50	0,25	0,25	0,25	0,75	0,75	0,75	0,50	0,50	0,25	0,75	0,50	0,25	0,50	0,75	0,25	0,25	0,25	0,75	0,75
94	0,50	1,00	1,00	0,50	0,25	0,50	0,25	0,25	0,25	0,75	0,75	0,75	0,50	0,50	0,25	0,75	0,50	0,25	0,50	1,00	0,25	0,25	0,25	0,75	0,75
95	0,50	1,00	1,00	0,50	0,25	0,50	0,25	0,25	0,25	0,75	0,50	0,75	0,50	0,50	0,25	0,75	0,50	0,25	0,50	0,75	0,25	0,25	0,25	0,75	0,75

j \ i	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
1	0,50	0,50	0,50	0,50	0,50	0,25	0,50	0,75	0,25	0,50	0,25	0,00	1,00	0,75	0,75	0,50	0,75	0,75	1,00	0,75	1,00	0,50	1,00	1,00	0,25

2	1,00	0,50	0,75	0,75	0,75	0,50	0,75	0,50	0,75	1,00	0,75	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,25	0,50	0,50	0,75	0,50	0,50	1,00
3	0,50	0,50	0,50	0,50	0,50	0,25	0,50	1,00	0,25	0,50	0,25	0,00	1,00	0,50	0,50	0,50	0,50	0,75	1,00	0,75	1,00	0,50	0,75	1,00	0,50
4	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,50	0,00	0,25	0,25	0,00	0,75	0,50	0,50	0,75	0,50	0,50	0,75	0,50	0,75	0,25	0,75	0,75	0,00
5	0,50	0,50	0,50	0,50	0,25	0,25	0,50	0,75	0,00	0,25	0,25	0,00	0,75	0,75	0,75	0,75	0,50	0,75	1,00	0,50	0,75	0,50	1,00	1,00	0,25
6	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,25	0,00	0,75	0,50	0,50	0,50	0,50	0,50	0,75	0,25	0,50	0,25	0,75	0,75	0,25
7	0,25	0,50	0,25	0,50	0,50	0,00	0,50	0,75	0,00	0,25	0,25	0,00	0,75	0,50	0,75	0,75	0,50	0,50	1,00	0,75	0,75	0,25	1,00	0,75	0,25
8	1,00	0,75	0,50	0,75	0,75	0,50	0,75	0,50	0,75	0,75	0,75	0,50	0,25	0,25	0,25	0,25	0,50	0,50	0,25	0,50	0,25	0,50	0,25	0,25	0,75
9	0,25	0,25	0,00	0,25	0,25	0,00	0,25	0,25	0,00	0,25	0,00	0,00	0,50	1,00	1,00	1,00	0,25	0,50	0,50	0,50	0,50	0,00	0,50	0,50	0,00
10	1,00	1,00	0,50	0,75	1,00	0,25	0,75	0,75	0,50	0,75	0,50	0,25	0,50	0,25	0,25	0,25	0,75	0,75	0,50	0,75	0,50	0,75	0,50	0,50	0,75
11	0,25	0,25	0,25	0,50	0,25	0,00	0,50	0,50	0,00	0,25	0,25	0,00	0,75	0,75	0,75	1,00	0,50	0,50	0,75	0,50	0,50	0,25	0,75	0,75	0,25
12	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,50	0,00	0,25	0,25	0,00	0,75	0,75	0,75	0,75	0,50	0,50	0,75	0,50	0,75	0,25	0,75	0,75	0,25
13	0,25	0,25	0,25	0,25	0,00	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,75	0,50	0,50	0,75	0,50	0,50	0,75	0,25	0,50	0,25	0,75	0,75	0,25
14	0,50	0,25	1,00	0,50	0,50	0,75	0,50	0,25	0,50	0,75	1,00	0,75	0,25	0,25	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,75	0,25	0,25	0,75
15	0,25	0,50	0,25	0,50	0,25	0,00	0,50	0,50	0,25	0,25	0,25	0,00	0,75	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,75	0,25	0,75	0,75	0,25
16	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,25	0,00	0,75	0,50	0,50	0,25	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
17	0,50	0,25	0,50	0,25	0,25	0,50	0,25	0,50	0,25	0,25	0,50	0,25	0,75	0,50	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	0,50	0,50
18	0,75	0,75	0,50	0,75	0,75	0,50	0,50	1,00	0,25	0,50	0,50	0,25	0,75	0,50	0,50	0,25	0,50	0,50	0,75	0,75	0,75	0,75	0,75	0,75	0,75
19	0,50	0,50	0,25	0,50	0,50	0,25	0,50	0,75	0,25	0,25	0,25	0,00	1,00	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,75	0,25	0,75	0,75	0,25
20	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,25	0,25	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,00	0,25	0,25	0,00
21	0,75	1,00	0,50	0,75	0,75	0,25	0,75	1,00	0,25	0,50	0,50	0,25	0,75	0,50	0,50	0,50	0,75	0,75	1,00	1,00	1,00	0,50	0,75	1,00	0,50
22	0,50	0,25	0,75	0,50	0,50	1,00	0,50	0,25	0,50	0,75	0,75	0,50	0,25	0,25	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,75	0,25	0,25	0,75
23	0,50	0,50	0,50	0,50	0,50	0,25	0,50	0,75	0,25	0,50	0,25	0,00	1,00	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,75	0,50	0,75	0,75	0,50
24	0,25	0,25	0,25	0,50	0,25	0,25	0,50	0,50	0,25	0,25	0,25	0,00	0,75	0,75	0,50	0,50	0,50	0,50	0,75	0,50	0,50	0,25	0,75	0,75	0,25
25	0,50	0,75	0,50	0,75	0,75	0,25	0,75	0,75	0,25	0,50	0,50	0,25	0,75	0,50	0,50	0,50	0,75	1,00	0,75	1,00	1,00	0,50	1,00	1,00	0,50

	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
26	0,50	0,50	0,25	0,50	0,50	0,25	0,50	0,75	0,00	0,25	0,25	0,00	0,75	0,75	0,75	0,75	0,50	0,75	1,00	0,75	0,75	0,25	1,00	0,75	0,25

27	0,75	0,50	1,00	0,50	0,50	0,75	0,50	0,50	0,75	1,00	1,00	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,25	0,50	0,25	1,00	0,50	0,50	1,00
28	0,75	0,75	1,00	0,50	0,75	0,50	0,50	0,75	0,50	1,00	1,00	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	1,00	0,50	0,50	1,00
29	0,50	0,25	0,75	0,25	0,25	1,00	0,25	0,25	0,50	0,50	0,75	0,50	0,25	0,25	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,50
30	0,50	0,50	0,25	0,50	0,50	0,25	0,50	0,75	0,00	0,25	0,25	0,00	0,75	0,75	0,75	0,75	0,50	0,50	0,75	0,50	0,75	0,25	0,75	0,75	0,25
31	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,50	0,25	0,25	0,25	0,25	0,75	1,00	1,00	0,75	0,50	0,50	0,75	0,25	0,50	0,25	0,75	0,75	0,25
32	0,25	0,25	0,25	0,50	0,25	0,00	0,25	0,50	0,00	0,25	0,25	0,00	0,75	1,00	1,00	0,75	0,50	0,50	0,75	0,50	0,50	0,25	0,75	0,75	0,25
33	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,75	0,75	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,25	0,50	0,50	0,50
34	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,75	0,75	0,75	0,75	0,50	0,50	0,75	0,25	0,50	0,25	0,75	0,75	0,25
35	0,50	0,50	1,00	0,50	0,50	1,00	0,50	0,50	0,50	0,75	1,00	0,50	0,25	0,25	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,75	0,25	0,25	0,75
36	0,75	0,50	0,50	0,50	0,50	0,50	0,50	1,00	0,25	0,50	0,50	0,25	0,75	0,50	0,50	0,25	0,50	0,50	0,75	0,50	0,75	0,75	0,75	0,75	0,75
37	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,75	0,25	0,75	0,75	0,25	0,50	0,50	0,25	0,25	0,50	0,50	0,50	0,50	0,50	1,00	0,50	0,50	0,75
38	0,50	0,50	0,50	0,50	0,25	0,25	0,50	0,75	0,25	0,50	0,25	0,25	1,00	0,75	0,75	0,50	0,75	0,75	1,00	0,75	1,00	0,50	1,00	1,00	0,50
39	0,50	0,75	0,25	0,75	0,50	0,25	0,50	0,75	0,25	0,25	0,25	0,00	0,75	0,50	0,50	0,50	0,75	0,75	1,00	1,00	1,00	0,25	1,00	1,00	0,50
40	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,00	0,25	0,25	0,00	0,50	1,00	0,75	0,50	0,50	0,50	0,75	0,25	0,50	0,25	0,75	0,75	0,25
41	0,75	0,75	0,75	0,75	0,75	0,50	0,50	0,75	0,25	0,75	0,75	0,25	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	1,00	0,50	0,50	0,75
42	0,50	0,50	0,25	0,50	0,25	0,25	0,50	0,75	0,25	0,25	0,25	0,25	1,00	0,75	0,75	0,50	0,50	0,75	1,00	0,75	1,00	0,50	1,00	1,00	0,50
43	0,25	0,50	0,25	0,50	0,50	0,00	0,50	0,75	0,00	0,25	0,25	0,00	0,75	0,50	0,75	0,50	0,50	0,75	1,00	0,75	0,75	0,25	0,75	0,75	0,25
44	0,50	0,50	1,00	0,25	0,50	1,00	0,25	0,50	0,50	0,50	0,75	0,50	0,25	0,25	0,00	0,00	0,25	0,25	0,25	0,50	0,25	1,00	0,25	0,25	0,75
45	0,75	0,75	0,75	0,75	0,75	0,50	0,75	0,75	0,50	0,75	0,75	0,25	0,50	0,25	0,25	0,25	0,75	0,50	0,50	0,75	0,50	0,75	0,50	0,50	1,00
46	0,25	0,50	0,25	0,50	0,50	0,00	0,50	0,50	0,25	0,25	0,25	0,00	0,75	0,75	0,75	0,75	0,50	0,50	0,75	0,50	0,50	0,25	0,75	0,75	0,25
47	0,25	0,25	0,25	0,50	0,25	0,25	0,50	0,50	0,25	0,25	0,25	0,00	0,75	0,75	0,75	0,50	0,50	0,50	0,75	0,50	0,50	0,25	0,75	0,75	0,25
48	0,25	0,50	0,25	0,25	0,25	0,00	0,25	0,50	0,00	0,25	0,00	0,00	0,75	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,75	0,25	0,75	0,75	0,25
49	0,50	0,50	1,00	0,50	0,50	0,75	0,50	0,50	0,50	0,50	0,75	0,25	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	1,00	0,50	0,50	0,75
50	0,50	0,25	0,75	0,50	0,50	0,75	0,50	0,25	0,50	0,75	1,00	0,75	0,25	0,00	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,75	0,25	0,25	0,75

	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
51	1,00	0,75	0,75	1,00	1,00	0,50	1,00	0,75	0,75	0,75	0,75	0,50	0,50	0,25	0,25	0,25	0,75	0,75	0,50	0,75	0,50	0,75	0,50	0,50	1,00

52	0,75	1,00	0,50	1,00	1,00	0,25	1,00	0,75	0,25	0,50	0,50	0,25	0,50	0,25	0,25	0,25	0,75	0,75	0,50	1,00	0,75	0,50	0,50	0,50	0,75
53	0,75	0,50	1,00	0,50	0,50	0,75	0,50	0,50	0,50	0,75	1,00	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,25	0,50	0,50	1,00	0,50	0,50	0,75
54	1,00	1,00	0,50	1,00	1,00	0,25	1,00	0,75	0,50	0,75	0,50	0,50	0,50	0,25	0,25	0,25	1,00	0,75	0,50	1,00	0,50	0,50	0,50	0,50	0,75
55	1,00	1,00	0,50	1,00	1,00	0,25	1,00	0,75	0,50	0,75	0,50	0,50	0,25	0,25	0,25	0,25	0,75	0,75	0,25	0,75	0,50	0,50	0,25	0,50	0,75
56	0,50	0,25	0,75	0,25	0,25	1,00	0,25	0,25	0,50	0,50	0,75	0,50	0,25	0,25	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,75	0,25	0,25	0,50
57	1,00	1,00	0,50	1,00	1,00	0,25	1,00	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,25	0,25	1,00	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,75
58	0,75	0,75	0,50	0,75	0,75	0,25	0,75	1,00	0,25	0,50	0,50	0,25	0,75	0,50	0,50	0,50	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,50
59	0,75	0,25	0,50	0,50	0,50	0,50	0,50	0,25	1,00	0,75	0,50	1,00	0,25	0,00	0,00	0,00	0,50	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,75
60	0,75	0,50	0,75	0,75	0,75	0,50	0,75	0,50	0,75	1,00	0,75	0,75	0,50	0,25	0,25	0,25	0,50	0,50	0,25	0,50	0,50	0,75	0,50	0,50	1,00
61	0,75	0,50	1,00	0,50	0,50	0,75	0,50	0,50	0,50	0,75	1,00	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,25	0,50	0,25	1,00	0,25	0,50	0,75
62	0,50	0,25	0,50	0,50	0,50	0,50	0,50	0,25	1,00	0,75	0,50	1,00	0,25	0,00	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,50
63	0,50	0,50	0,50	0,50	0,25	0,25	0,50	0,75	0,25	0,50	0,50	0,25	1,00	0,75	0,50	0,50	0,50	0,75	1,00	0,75	1,00	0,50	1,00	1,00	0,50
64	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,50	0,00	0,25	0,25	0,00	0,75	1,00	1,00	0,75	0,50	0,50	0,75	0,25	0,50	0,25	0,75	0,75	0,25
65	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,50	0,00	0,25	0,25	0,00	0,50	1,00	1,00	0,75	0,50	0,50	0,50	0,50	0,50	0,25	0,75	0,75	0,25
66	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,50	0,00	0,25	0,25	0,00	0,50	0,75	0,75	1,00	0,25	0,50	0,50	0,50	0,50	0,25	0,50	0,50	0,00
67	0,75	0,75	0,50	1,00	0,75	0,25	1,00	0,75	0,50	0,50	0,50	0,25	0,50	0,50	0,50	0,25	1,00	1,00	0,50	1,00	0,75	0,50	0,75	0,75	0,50
68	0,75	0,75	0,50	0,75	0,75	0,25	0,75	0,75	0,25	0,50	0,50	0,25	0,75	0,50	0,50	0,50	1,00	1,00	0,75	1,00	0,75	0,50	0,75	0,75	0,50
69	0,50	0,50	0,25	0,50	0,25	0,25	0,50	0,75	0,25	0,25	0,25	0,25	1,00	0,75	0,50	0,50	0,50	0,75	1,00	0,75	1,00	0,50	1,00	1,00	0,50
70	0,75	1,00	0,50	1,00	0,75	0,25	0,75	0,75	0,25	0,50	0,50	0,25	0,75	0,25	0,50	0,50	1,00	1,00	0,75	1,00	0,75	0,50	0,75	0,75	0,50
71	0,50	0,75	0,50	0,50	0,50	0,25	0,50	0,75	0,25	0,50	0,25	0,25	1,00	0,50	0,50	0,50	0,75	0,75	1,00	0,75	1,00	0,50	1,00	1,00	0,50
72	0,75	0,50	1,00	0,50	0,50	0,75	0,50	0,75	0,50	0,75	1,00	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	1,00	0,50	0,50	0,75
73	0,50	0,50	0,50	0,50	0,25	0,25	0,50	0,75	0,25	0,50	0,25	0,25	1,00	0,75	0,75	0,50	0,75	0,75	1,00	0,75	1,00	0,50	1,00	1,00	0,25
74	0,50	0,50	0,50	0,50	0,50	0,25	0,50	0,75	0,25	0,50	0,50	0,25	1,00	0,75	0,75	0,50	0,75	0,75	1,00	0,75	1,00	0,50	1,00	1,00	0,50
75	1,00	0,75	0,75	0,75	0,75	0,50	0,75	0,50	0,75	1,00	0,75	0,50	0,25	0,25	0,00	0,50	0,50	0,50	0,50	0,50	0,50	0,75	0,25	0,50	1,00

	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
76	0,50	0,25	0,75	0,50	0,50	0,75	0,50	0,25	0,75	0,75	1,00	0,75	0,25	0,00	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,75	0,25	0,25	0,75

77	1,00	0,75	0,75	0,75	0,75	0,50	0,75	0,75	0,50	1,00	0,75	0,50	0,50	0,25	0,25	0,25	0,75	0,50	0,50	0,50	0,50	0,75	0,50	0,50	1,00
78	0,75	0,50	0,75	0,50	0,75	0,50	0,50	0,50	0,75	1,00	1,00	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	1,00	0,50	0,50	1,00
79	0,50	0,50	0,75	0,50	0,50	0,50	0,50	0,75	0,25	0,50	0,50	0,25	0,75	0,50	0,25	0,25	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,50	0,50
80	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,25	1,00	1,00	0,75	1,00	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,75	0,25	0,25	0,75
81	0,25	0,25	0,25	0,50	0,25	0,00	0,25	0,50	0,00	0,25	0,25	0,00	0,75	0,75	0,75	0,75	0,50	0,50	0,75	0,50	0,50	0,25	0,75	0,75	0,25
82	0,25	0,25	0,25	0,25	0,25	0,00	0,25	0,50	0,25	0,25	0,25	0,00	0,75	0,75	1,00	0,75	0,50	0,50	0,75	0,50	0,50	0,25	0,75	0,75	0,25
83	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,00	0,25	0,25	0,00	0,75	0,50	0,50	0,75	0,50	0,50	0,75	0,25	0,50	0,25	0,75	0,75	0,25
84	0,25	0,50	0,25	0,50	0,50	0,25	0,50	0,75	0,00	0,25	0,25	0,00	0,75	0,75	0,75	0,75	0,50	0,75	1,00	0,50	0,75	0,25	1,00	0,75	0,25
85	0,50	0,50	0,75	0,25	0,25	0,75	0,25	0,50	0,25	0,50	0,50	0,25	0,50	0,25	0,25	0,00	0,25	0,25	0,50	0,50	0,50	0,75	0,50	0,50	0,50
86	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,75	0,25	0,50	0,50	0,25	0,75	0,50	0,25	0,25	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,50	0,50
87	0,50	0,50	0,50	0,50	0,50	0,25	0,50	0,75	0,25	0,50	0,25	0,00	1,00	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,75	0,50	0,75	0,75	0,50
88	0,75	1,00	0,50	1,00	1,00	0,25	1,00	0,75	0,25	0,50	0,50	0,25	0,50	0,25	0,50	0,50	1,00	1,00	0,50	1,00	0,75	0,50	0,50	0,75	0,50
89	0,75	1,00	0,50	0,75	0,75	0,50	0,75	1,00	0,25	0,75	0,50	0,25	0,50	0,25	0,25	0,25	0,75	0,75	0,50	0,75	0,50	0,75	0,50	0,50	0,75
90	0,50	0,75	0,25	0,75	0,75	0,25	0,75	0,75	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,25	1,00	1,00	0,75	1,00	0,75	0,50	0,75	0,75	0,50
91	1,00	0,75	0,75	0,75	0,75	0,50	0,75	0,75	0,50	1,00	0,75	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	1,00	0,50	0,50	1,00
92	1,00	0,75	0,75	0,75	0,75	0,50	0,75	0,75	0,75	1,00	0,75	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,50	1,00
93	1,00	0,75	0,75	0,75	0,75	0,50	0,75	0,75	0,75	1,00	0,75	0,50	0,50	0,50	0,25	0,25	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,50	1,00
94	1,00	0,75	0,75	0,75	0,75	0,50	0,75	0,75	0,75	1,00	0,75	0,50	0,50	0,50	0,25	0,25	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,50	1,00
95	1,00	0,50	0,75	0,75	0,75	0,50	0,75	0,50	0,75	1,00	1,00	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,50	1,00

j \ i	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95
1	0,25	0,50	0,25	0,50	0,25	0,75	0,75	0,75	1,00	0,50	0,50	0,75	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,50
2	0,75	1,00	1,00	0,50	1,00	0,25	0,25	0,25	0,25	0,25	0,50	0,25	0,50	0,75	0,25	0,75	1,00	1,00	1,00	1,00
3	0,25	0,50	0,50	0,75	0,25	0,50	0,50	0,50	0,75	0,50	0,75	0,75	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
4	0,00	0,25	0,25	0,25	0,00	0,75	0,75	1,00	1,00	0,25	0,25	0,50	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,25
5	0,00	0,50	0,25	0,50	0,25	1,00	0,75	1,00	1,00	0,25	0,50	0,75	0,50	0,50	0,50	0,50	0,25	0,50	0,50	0,50
6	0,25	0,25	0,25	0,25	0,25	0,75	0,50	1,00	1,00	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25

7	0,00	0,25	0,25	0,50	0,25	1,00	0,75	0,75	1,00	0,25	0,50	0,50	0,50	0,50	0,50	0,25	0,25	0,25	0,25	0,25
8	0,50	0,75	0,75	0,25	0,75	0,25	0,25	0,25	0,25	0,25	0,50	0,25	0,50	0,75	0,50	0,75	0,75	0,75	0,75	0,75
9	0,00	0,25	0,00	0,25	0,00	0,75	0,75	0,50	0,50	0,00	0,25	0,25	0,25	0,25	0,50	0,25	0,00	0,25	0,25	0,25
10	0,50	1,00	0,75	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	1,00	0,75	0,75	0,75	0,75	0,75	0,75
11	0,00	0,25	0,25	0,25	0,25	0,75	0,75	0,75	0,75	0,25	0,25	0,50	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,25
12	0,00	0,25	0,25	0,50	0,25	1,00	1,00	0,75	1,00	0,25	0,50	0,50	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,25
13	0,25	0,25	0,25	0,25	0,25	0,75	0,50	1,00	1,00	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25
14	1,00	0,50	0,75	0,25	0,75	0,00	0,00	0,00	0,00	0,50	0,25	0,25	0,25	0,50	0,25	0,75	0,75	0,75	0,75	0,75
15	0,00	0,50	0,25	0,50	0,25	0,75	0,75	0,75	0,75	0,25	0,50	0,75	0,50	0,50	0,50	0,50	0,25	0,25	0,25	0,25
16	0,25	0,50	0,50	0,75	0,25	0,50	0,50	0,50	0,50	0,75	0,75	1,00	0,50	0,50	0,25	0,50	0,50	0,50	0,50	0,50
17	0,25	0,50	0,50	1,00	0,25	0,25	0,50	0,25	0,50	1,00	1,00	1,00	0,25	0,50	0,25	0,50	0,50	0,50	0,50	0,50
18	0,25	0,75	0,75	0,75	0,50	0,50	0,50	0,50	0,50	0,75	0,75	0,75	0,75	1,00	0,50	0,75	0,75	0,75	0,75	0,75
19	0,25	0,50	0,25	0,50	0,25	0,75	0,75	0,50	0,75	0,50	0,75	1,00	0,50	0,50	0,50	0,50	0,25	0,50	0,50	0,25
20	0,00	0,00	0,00	0,00	0,00	0,25	0,25	0,25	0,25	0,00	0,25	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00	0,00
21	0,25	0,75	0,50	0,50	0,50	0,50	0,50	0,50	0,75	0,50	0,50	0,50	1,00	0,75	1,00	0,75	0,50	0,50	0,75	0,50
22	0,75	0,50	0,75	0,50	0,75	0,00	0,00	0,25	0,25	0,50	0,50	0,25	0,25	0,50	0,25	0,50	0,75	0,75	0,75	0,75
23	0,25	0,50	0,50	0,75	0,25	0,50	0,50	0,50	0,75	0,75	0,75	1,00	0,50	0,75	0,50	0,50	0,50	0,50	0,50	0,50
24	0,25	0,50	0,25	0,50	0,25	0,75	0,75	0,50	0,75	0,50	0,50	0,75	0,50	0,25	0,50	0,50	0,50	0,25	0,50	0,25
25	0,25	0,50	0,50	0,50	0,25	0,75	0,50	0,50	0,75	0,50	0,50	0,50	1,00	0,75	1,00	0,50	0,50	0,50	0,50	0,50

j \ i	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95
26	0,00	0,25	0,25	0,50	0,25	1,00	1,00	0,75	1,00	0,25	0,50	0,75	0,50	0,50	0,50	0,25	0,25	0,50	0,50	0,50
27	1,00	0,75	1,00	0,50	1,00	0,25	0,25	0,25	0,25	0,50	0,50	0,25	0,50	0,50	0,25	0,75	1,00	1,00	1,00	1,00
28	0,75	1,00	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,75	0,50	0,50	0,50	0,75	0,50	1,00	1,00	1,00	1,00	1,00
29	0,75	0,50	0,50	0,25	0,50	0,00	0,00	0,25	0,00	0,50	0,25	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50
30	0,00	0,25	0,25	0,50	0,25	1,00	1,00	1,00	1,00	0,25	0,50	0,50	0,50	0,50	0,50	0,25	0,25	0,25	0,25	0,25
31	0,25	0,50	0,25	0,50	0,25	1,00	1,00	0,50	0,75	0,25	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50

32	0,00	0,25	0,25	0,25	0,25	1,00	1,00	0,50	0,75	0,25	0,50	0,50	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,25
33	0,25	0,50	0,25	0,50	0,25	0,75	0,75	0,50	0,50	0,50	0,75	0,75	0,25	0,25	0,25	0,50	0,50	0,25	0,25	0,25
34	0,25	0,50	0,25	0,25	0,25	1,00	0,75	0,75	1,00	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25
35	1,00	0,75	0,75	0,50	0,75	0,00	0,00	0,25	0,00	0,75	0,50	0,25	0,25	0,50	0,25	0,75	0,75	0,75	0,75	0,75
36	0,25	0,75	0,50	1,00	0,25	0,50	0,50	0,50	0,50	0,75	1,00	0,75	0,50	0,75	0,50	0,75	0,75	0,75	0,75	0,50
37	0,50	0,75	0,75	1,00	0,50	0,25	0,25	0,25	0,50	0,75	1,00	0,75	0,50	0,75	0,50	0,75	0,75	0,75	0,75	0,75
38	0,25	0,50	0,50	0,50	0,25	0,75	0,75	0,75	1,00	0,50	0,50	0,75	0,50	0,50	0,75	0,50	0,50	0,50	0,50	0,50
39	0,25	0,50	0,25	0,50	0,25	0,75	0,50	0,50	0,75	0,50	0,50	0,50	0,75	0,50	1,00	0,50	0,50	0,50	0,50	0,50
40	0,00	0,25	0,25	0,50	0,25	0,75	0,75	0,50	0,75	0,25	0,50	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25
41	0,50	1,00	0,75	0,75	0,50	0,25	0,25	0,25	0,50	0,75	0,75	0,50	0,75	1,00	0,50	1,00	0,75	0,75	0,75	0,75
42	0,25	0,50	0,50	0,50	0,25	0,75	0,75	0,75	1,00	0,50	0,50	0,75	0,50	0,50	0,75	0,50	0,50	0,50	0,50	0,50
43	0,00	0,25	0,25	0,50	0,25	0,75	0,75	0,75	1,00	0,25	0,50	0,50	0,50	0,50	0,50	0,25	0,25	0,25	0,25	0,25
44	0,50	0,50	0,75	0,75	0,50	0,25	0,25	0,25	0,25	1,00	0,75	0,50	0,25	0,50	0,25	0,50	0,75	0,50	0,50	0,50
45	0,50	1,00	0,75	0,75	0,50	0,25	0,25	0,25	0,25	0,50	0,75	0,50	0,75	1,00	0,50	1,00	1,00	0,75	1,00	0,75
46	0,00	0,25	0,25	0,50	0,25	1,00	1,00	0,50	0,75	0,25	0,50	0,75	0,50	0,50	0,50	0,25	0,25	0,25	0,25	0,25
47	0,00	0,25	0,25	0,50	0,25	0,75	1,00	0,50	0,75	0,25	0,50	0,75	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,25
48	0,00	0,25	0,25	0,25	0,00	1,00	0,75	0,50	0,75	0,25	0,50	0,50	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,25
49	0,50	0,75	0,75	0,75	0,50	0,25	0,25	0,25	0,25	1,00	0,75	0,50	0,50	0,50	0,50	0,75	0,75	0,75	0,75	0,75
50	1,00	0,50	0,75	0,25	0,75	0,00	0,00	0,00	0,00	0,50	0,25	0,25	0,25	0,25	0,25	0,75	0,75	0,75	0,75	0,75

$\begin{smallmatrix} j \backslash i \\ \end{smallmatrix}$	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95
51	0,50	1,00	0,75	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,75	0,75	0,50	1,00	1,00	1,00	1,00	1,00
52	0,25	0,75	0,50	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	1,00	1,00	0,75	0,75	0,75	0,75	0,75	0,50
53	0,75	0,75	0,75	0,75	0,75	0,25	0,25	0,25	0,25	0,75	0,50	0,50	0,50	0,50	0,25	0,75	0,75	0,75	0,75	0,75
54	0,50	0,75	0,50	0,50	0,50	0,50	0,25	0,25	0,50	0,25	0,50	0,50	1,00	0,75	0,75	0,75	0,75	0,75	0,75	0,75
55	0,50	0,75	0,75	0,50	0,50	0,25	0,25	0,25	0,50	0,25	0,50	0,50	1,00	0,75	0,75	0,75	0,75	0,75	0,75	0,75

56	0,75	0,50	0,50	0,50	0,50	0,00	0,00	0,25	0,25	0,75	0,50	0,25	0,25	0,50	0,25	0,50	0,50	0,50	0,50	0,50
57	0,50	0,75	0,50	0,50	0,50	0,25	0,25	0,25	0,50	0,25	0,50	0,50	1,00	0,75	0,75	0,75	0,75	0,75	0,75	0,75
58	0,25	0,75	0,50	0,75	0,25	0,50	0,50	0,50	0,75	0,50	0,75	0,75	0,75	1,00	0,75	0,75	0,75	0,75	0,75	0,50
59	0,75	0,50	0,75	0,25	1,00	0,00	0,25	0,00	0,00	0,25	0,25	0,25	0,25	0,25	0,25	0,50	0,75	0,75	0,75	0,75
60	0,75	1,00	1,00	0,50	1,00	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,25	1,00	1,00	1,00	1,00	1,00
61	1,00	0,75	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,25	0,50	0,50	0,25	0,75	0,75	0,75	0,75	1,00
62	0,75	0,50	0,50	0,25	1,00	0,00	0,00	0,00	0,00	0,25	0,25	0,00	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,50
63	0,25	0,50	0,50	0,75	0,25	0,75	0,75	0,75	0,75	0,50	0,75	1,00	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
64	0,00	0,25	0,25	0,50	0,25	0,75	0,75	0,50	0,75	0,25	0,50	0,50	0,25	0,25	0,25	0,25	0,25	0,50	0,50	0,25
65	0,00	0,25	0,25	0,25	0,25	0,75	1,00	0,50	0,75	0,25	0,25	0,50	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,25
66	0,00	0,25	0,25	0,25	0,25	0,75	0,75	0,75	0,75	0,00	0,25	0,50	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,25
67	0,25	0,75	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,25	0,50	0,50	1,00	0,75	1,00	0,50	0,50	0,50	0,50	0,50
68	0,25	0,50	0,50	0,50	0,25	0,50	0,50	0,50	0,75	0,25	0,50	0,50	1,00	0,75	1,00	0,50	0,50	0,50	0,50	0,50
69	0,25	0,50	0,50	0,50	0,25	0,75	0,75	0,75	1,00	0,50	0,50	0,75	0,50	0,50	0,75	0,50	0,50	0,50	0,50	0,50
70	0,25	0,50	0,50	0,50	0,25	0,50	0,50	0,25	0,50	0,50	0,50	0,50	1,00	0,75	1,00	0,50	0,50	0,50	0,50	0,50
71	0,25	0,50	0,50	0,50	0,25	0,50	0,50	0,50	0,75	0,50	0,50	0,75	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,50
72	0,75	0,75	1,00	0,75	0,75	0,25	0,25	0,25	0,25	0,75	0,75	0,50	0,50	0,75	0,50	1,00	0,75	0,75	0,75	0,75
73	0,25	0,50	0,50	0,50	0,25	0,75	0,75	0,75	1,00	0,50	0,50	0,75	0,50	0,50	0,75	0,50	0,50	0,50	0,50	0,50
74	0,25	0,50	0,50	0,50	0,25	0,75	0,75	0,75	0,75	0,50	0,50	0,75	0,75	0,50	0,75	0,50	0,50	0,50	0,50	0,50
75	0,75	1,00	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,50	1,00	1,00	1,00	1,00	1,00

$\begin{smallmatrix} j & i \end{smallmatrix}$	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95
76	1,00	0,50	0,75	0,25	1,00	0,00	0,00	0,00	0,00	0,50	0,25	0,25	0,25	0,50	0,25	0,75	0,75	0,75	0,75	0,75
77	0,50	1,00	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,75	0,50	0,75	1,00	0,50	1,00	1,00	1,00	1,00	1,00
78	0,75	1,00	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,50	1,00	1,00	1,00	1,00	1,00
79	0,25	0,50	0,50	1,00	0,25	0,50	0,50	0,25	0,50	1,00	1,00	0,75	0,50	0,50	0,25	0,50	0,50	0,50	0,50	0,50
80	1,00	0,75	0,75	0,25	1,00	0,25	0,25	0,25	0,25	0,50	0,25	0,25	0,50	0,50	0,25	0,75	0,75	0,75	0,75	0,75

81	0,00	0,25	0,25	0,50	0,25	1,00	1,00	0,75	1,00	0,25	0,50	0,50	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,25
82	0,00	0,25	0,25	0,50	0,25	1,00	1,00	0,50	0,75	0,25	0,50	0,50	0,50	0,25	0,50	0,25	0,25	0,25	0,25	0,25
83	0,00	0,25	0,25	0,25	0,25	0,75	0,50	1,00	1,00	0,25	0,25	0,50	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25
84	0,00	0,25	0,25	0,50	0,25	1,00	0,75	1,00	1,00	0,25	0,50	0,75	0,50	0,50	0,50	0,25	0,25	0,25	0,25	0,25
85	0,50	0,50	0,50	1,00	0,50	0,25	0,25	0,25	0,25	1,00	0,75	0,75	0,25	0,50	0,25	0,50	0,50	0,50	0,50	0,50
86	0,25	0,75	0,50	1,00	0,25	0,50	0,50	0,25	0,50	0,75	1,00	0,75	0,50	0,50	0,50	0,75	0,50	0,50	0,50	0,50
87	0,25	0,50	0,50	0,75	0,25	0,50	0,50	0,50	0,75	0,75	0,75	1,00	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
88	0,25	0,75	0,50	0,50	0,50	0,50	0,50	0,25	0,50	0,25	0,50	0,50	1,00	0,75	1,00	0,50	0,50	0,50	0,50	0,50
89	0,50	1,00	0,75	0,50	0,50	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	1,00	0,75	0,75	0,75	0,75	0,75	0,75
90	0,25	0,50	0,50	0,25	0,25	0,50	0,50	0,25	0,50	0,25	0,50	0,50	1,00	0,75	1,00	0,50	0,50	0,50	0,50	0,50
91	0,75	1,00	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,75	0,50	0,50	0,75	0,50	1,00	1,00	1,00	1,00	1,00
92	0,75	1,00	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,50	1,00	1,00	1,00	1,00	1,00
93	0,75	1,00	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,50	1,00	1,00	1,00	1,00	1,00
94	0,75	1,00	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,50	1,00	1,00	1,00	1,00	1,00
95	0,75	1,00	1,00	0,50	0,75	0,25	0,25	0,25	0,25	0,50	0,50	0,50	0,50	0,75	0,50	1,00	1,00	1,00	1,00	1,00